

STATE WATER RESOURCES CONTROL BOARD
RESOLUTION NO. 75-27

ADOPTION OF PRIORITY LIST ASSIGNING 1975-76
PROJECTS TO A PRIORITY CLASS AND SPECIFYING
ELIGIBILITY OF PRIORITY CLASSES FOR FISCAL
YEAR 1975-76

WHEREAS:

1. Article 4, Subchapter 7, Chapter 3, Title 23 of the California Administrative Code, provides for the establishment of a priority list for Clean Water Grants projects.
2. The State Water Resources Control Board has conducted a public hearing concerning the assignment of projects to the priority list for fiscal year 1975-76.
3. It is anticipated that priority classes A through D will be fundable.
4. Exhibits A, B, and C to this Resolution are attached hereto and made a part hereof by reference.
5. The projects listed in Exhibit A to this Resolution are in conformity with the criteria set forth in the State Board's regulations concerning priorities, as cited in paragraph 1, above, with the exception of those projects which are also listed in Exhibit B.
6. The Basin 5C, 5D, and 6B projects listed in Exhibit B to this Resolution are not in strict conformity with priority class criteria as defined in Section 2108 of the Board's regulations but the variance with Board criteria is minor and will be eliminated shortly after adoption of this priority list.
7. The Basin 2 projects listed in Exhibit B and all those projects listed in Exhibit C which the State Board staff has recommended be placed in a fundable priority class do not meet the requirements of the Board's criteria concerning priorities; however, the benefits to be derived from these projects are such that they should nevertheless be placed in a fundable priority.

THEREFORE BE IT RESOLVED:

1. Each project set forth in Exhibit A to this Resolution is assigned to the priority class specified in Exhibit A.

2. Each project listed in Exhibit C to this Resolution is assigned to the priority class, if any, recommended by the State Board staff as set forth in Exhibit C.
3. Priority Classes A - D constitute the first section of the Priority List as referred to in Sections 2112 and 2113 of the Clean Water Grants Regulations.

CERTIFICATION

The undersigned, Executive Officer of the State Water Resources Control Board, does hereby certify that the foregoing is a full, true, and correct copy of a resolution duly and regularly adopted at a meeting of the State Water Resources Control Board held on April 17, 1975.

Bill B. Dendy

Bill B. Dendy
Executive Officer

EXHIBIT A
* * PRELIMINARY * *
F.Y. 1975-76 CLEAN WATER GRANT PRIORITY LIST

(ARRANGED ALPHABETICALLY)

PAGE 01	AGENCY	PROJECT NO.	DESCRIPTION OF PROBLEM	EST. ELIGIBLE COST BY STEPS	CLASS & RANKING	FISCAL YEAR (AND ASSIGNED STEP)
5A	ADIN COMMUNITY SERVICES DIST		UNSEWERED COMMUNITY	300,000	F-166	75-76 1 2 3 76-77 1 2 3 77-78 1 2 3 78-79 1 2 3 79-80 1 2 3
9	ALISO WATER MANAGEMENT AGENCY	0841	REGIONAL SEWERAGE SYSTEM	1- 210,000 2- 850,000 3- 18,940,000	C-042	1 2 3
5B	AMADOR CITY, CITY OF	0842	NEW TREATMENT PLANT AND COLLECTION SYSTEM	1- 4,000 2- 17,000 3- 289,000	B-020	1 2 3
5D	ARHONA SANITARY DISTRICT	0847	WDR VIOLATIONS	1- 0 2- 20,000 3- 250,000	A-001	2 3
3	AROMAS COUNTY WATER DISTRICT		UNSEWERED COMMUNITY	1,250,000	F-167	
5D	ARVIN SANITATION DISTRICT		PLANT AT OR NEAR CAPACITY	150,000	G-237	
3	ATASCADERO COUNTY SANITATION DISTRICT		AT CAPACITY	450,000	H-271	
5D	AVENAL COMMUNITY SERVICES DISTRICT		TREATMENT PLANT IS AT CAPACITY	500,000	G-239	
3	AVILA COUNTY WATER DISTRICT	1209	NPDES TIMETABLE - UPGRADE TO SECONDARY BY 7/77	1- 15,000 2- 40,000 3- 800,000	D-074	1 2 3
2	BAY AREA SEWERAGE SERVICES AGENCY AND SUBREGIONAL AGENCIES	1225	TREATMENT PLANT RESIDUAL SOLIDS MANAGEMENT, REGIONAL FACILITIES	1- 500,000 2- 0 3- 0	D-149	1
8	BEAUMONT, CITY OF		PLANT DEFICIENCIES, EXPANDING SERVICE AND GROWING POPULATION	780,000	G-230	

PAGE 02	AGENCY	PROJECT NO.	DESCRIPTION OF PROBLEM	EST. ELIGIBLE COST BY STEPS	CLASS & RANKING	FISCAL YEAR (AND ASSIGNED STEP)
BASIN						75-76 76-77 77-78 78-79 79-80
5A	BIGGS, CITY OF	1173	NPDES TIMETABLE-UPGRADE TO SECONDARY TREATMENT BY 7/77	1- 3,000 2- 13,000 3- 164,000	D-134	1 2 3
1B	RODEGA BAY PUBLIC UTILITIES DISTRICT	1237	HEALTH HAZARD AND BUILDING BAN UNSEWERED COMMUNITY	1- 8,000 2- 32,000 3- 610,000	B-021	1 2 3
6A	BRIDGEPORT PUBLIC UTILITIES DISTRICT		PUBLIC HEALTH HAZARD-EFFLUENT SURFACING, POTENTIAL BUILDING BAN	300,000	F-168	
5D	BUTTONWILLOW COUNTY WATER DISTRICT		PLANT AT OR NEAR CAPACITY	150,000	G-235	
	BYRON SANITARY DISTRICT	1184	NPDES TIMETABLE. DISCHARGE PROHIBITION BY 7/77	1- 2,000 2- 8,000 3- 90,000	D-138	1 2 3
5B	CALAVERAS COUNTY WATER DISTRICT	1214	MDR VIOLATION-SURFACE DISCHARGE PROHIBITION WILSEVILLE	1- 5,000 2- 21,000 3- 274,000	D-142	1 2 3
5B	CALAVERAS COUNTY WATER DISTRICT		UNSEWERED COMMUNITY HAS HEALTH HAZARDS. 6-MILE VILLAGE	350,000	F-169	
6B	CALIFORNIA CITY		UPGRADE TREATMENT AND INCREASE CAPACITY	100,000	H-272	
5B	CALIFORNIA, STATE OF DEPT. OF CORRECTIONS DEVEL VOCATIONAL INS	0853	TREATMENT PLANT IMPROVEMENTS AND LAND DISPOSAL FACILITIES	1- 20,000 2- 75,000 3- 1,305,000	C-047	1 2 3
6A	CALIFORNIA, STATE OF DEPT. OF CORRECTIONS SUSANVILLE	1208	NPDES TIMETABLE-UPGRADE TO SECONDARY TREATMENT BY 5/76	1- 15,000 2- 65,000 3- 1,170,000	C-058	1 2 3
3	CALIFORNIA, STATE OF MENS COLONY, SAN LUIS OBISPO	1216	NPDES TIMETABLE-DISCHARGE PROHIBITION BY 7/77	1- 2,000 2- 8,000 3- 90,000	D-124	1 2 3
2	CALIFORNIA, STATE OF DEPT. OF PARKS AND RECREATION		ANGEL ISLAND STATE PARK INTERCEPTOR SEWER AND LAND DISPOSAL FACILITIES	200,000	F-170	
3	CALIFORNIA, STATE OF SOLEDAD CORRECTIONAL FACILITY		DISPOSAL SYSTEM INADEQUATE	550,000	G-233	

PAGE 03 BASIN	AGENCY	PROJECT NO.	DESCRIPTION OF PROBLEM	EST. ELIGIBLE COST BY STEPS	CLASS & RANKING	FISCAL YEAR (AND ASSIGNED STEP)				
						75-76	76-77	77-78	78-79	79-80
9	CALIFORNIA, STATE OF DEPT. OF PARKS AND RECREATION		INADEQUATE WASTE DISPOSAL AT SAN ONOFRE STATE BEACH PARK	1,500,000	G-258					
18	CALPPELLA COUNTY WATER DISTRICT	0854	WDR VIOLATION-NO DISCHARGE	2,000 8,000 90,000	D-128	1	2	3		
3	CARMEL AND PEBBLE BEACH SANITARY DISTRICTS	1211	NPDES VIOLATION-SETTLABLE AND SUSPENDED SOLIDS	20,000 80,000 1,400,000	D-115	1	2	3		
3	CARMEL AND PEBBLE BEACH SANITARY DISTRICTS		DISPOSAL SYSTEM INADEQUATE	3,500,000	G-232					
6A	CEARVILLE CO. WATER DISTRICT		PUBLIC HEALTH HAZARD AND POTENTIAL BUILDING BAN- WQ IMPROVEMENT IN GROWTR BASIN	650,000	F-171					
2	CENTRAL CONTRA COSTA SANITARY DISTRICT	1000	CENTRAL COUNTY REGIONAL SYSTEM	1- 0 2- 750,000 3- 15,000,000	C-043			2	3	
2	CENTRAL CONTRA COSTA SANITARY DISTRICT	1269	SOLIDS MANAGEMENT FACILITIES	1- 150,000 2- 0 3- 0	D-097	1				
2	CENTRAL CONTRA COSTA SANITARY DISTRICT		INTERCEPTOR TO ELIMINATE BOL- LINGER CANYON LEACH LINE DIS- CHARGE	600,000	E-158					
5A	CHESTER SANITARY DISTRICT	1174	NPDES TIMETABLE-UPGRADE TO SECONDARY TREATMENT BY 1/76	1- 4,000 2- 18,000 3- 228,000	D-130	1	2	3		
5A	CHICO, CITY OF	1175	NPDES VIOLATION-CHLORINE RESIDUAL	1- 1,000 2- 3,000 3- 36,000	D-126	1	2	3		
5C	CHOMCHILLA, CITY OF	1233	WDR VIOLATION-OIL AND GREASE	1- 5,000 2- 19,000 3- 246,000	D-116	1	2	3		
18	CLOVERDALE, CITY OF	1001	WDR VIOLATIONS-CHLORINE RESIDUAL AND OTHER PARAMETERS	1- 14,000 2- 54,000 3- 932,000	D-129	1	2	3		
7A	COACHELLA VALLEY CO. WATER DISTRICT - LA QUINTA AREA		UNSEWERED AREAS BECOMING TOO POPULATED FOR USE OF INDIVIDU- AL SUBSURFACE FACILITIES	1,200,000	F-172					

PAGE 04 BASIN	AGENCY	PROJECT NO.	DESCRIPTION OF PROBLEM	EST. ELIGIBLE COST BY STEPS			CLASS & RANKING	FISCAL YEAR (AND ASSIGNED STEP)						
				1-	2-	3-		75-76	76-77	77-78	78-79	79-80		
5A	COLFAX, CITY OF	0861	NPDES TIME SCHEDULE FOR DISCHARGE PROHIBITION	1- 6,000	2- 25,000	3- 339,000	C-051	1	2	3				
5A	COLUSA, CITY OF		EXCESS INFILTRATION ENTERS THE SYSTEM OLD AND DETERIORATED IN TERCCEPTOR				G-227							
2	CONTRA COSTA COUNTY SANITATION DISTRICT NO. 5	1242	NPDES TIMETABLE--UPGRADE TO SECONDARY TREATMENT BY 7/77. PORT COSTA	1- 4,000	2- 18,000	3- 228,000	D-120	1	2		3			
5D	CORCORAN, CITY OF		PLANT MODIFICATIONS TO INCREASE RELIABILITY				G-238							
	CORNING, CITY OF	1212	NPDES TIMETABLE--UPGRADE TO SECONDARY TREATMENT BY 6/77	1- 7,000	2- 26,000	3- 367,000	D-109	1	2	3				
5C	COULTERVILLE COUNTY SERVICE AREA NO. 1	1272	FALLING SEPTIC TANKS CONTAMINATING WATER SUPPLY. REGIONAL BOARD PROHIBITION	1- 6,000	2- 25,000	3- 469,000	B-022	1	2	3				
4B	CRESCENTA VALLEY CO. WATER DISTRICT		POTENTIAL HEALTH HAZARD CONSOLIDATE AND ABRANDON 3 STPS				E-162							
5D	CUTLER P.U.D. AND DROSI P.U.D.		PONDS HYDRAULICALLY OVERLOADED, PLANT LOCATED IN FLOOD PLAIN, PLANT MODIFICATIONS NEEDED				G-255							
3	DAVENPORT SEWER MAINTENANCE DISTRICT	1210	NPDES TIMETABLE -- UPGRADE TO SECONDARY BY 7/77	1- 5,000	2- 20,000	3- 300,000	D-143	1		2	3			
5A	DAVIS, CITY OF	1176	NPDES TIMETABLE--UPGRADE TO SECONDARY TREATMENT BY 1/77	1- 30,000	2- 110,000	3- 2,100,000	D-110	1	2		3			
5A	DAVIS, UNIVERSITY OF CALIFORNIA AT		CONSOLIDATION WITH MAIN TREATMENT PLANT ON CAMPUS				E-159							
5C	DELHI COUNTY WATER DISTRICT		PUMP STATION AND FORCEMAIN AT CAPACITY				G-243							
5C	DENAIR COMMUNITY SERVICE DISTRICT		DISPOSAL SYSTEM (INTERCEPTOR TO TURLOCK) IS AT CAPACITY				H-263							

BASIN	AGENCY	PROJECT NO.	DESCRIPTION OF PROBLEM	EST. ELIGIBLE CLASS & FISCAL YEAR (AND ASSIGNED STEP)		
				COST BY STEPS	RANKING	75-76 76-77 77-78 78-79 79-80
7A	DESERT HOT SPRINGS COUNTY WATER DIST.		INTERCEPTOR FOR CONSOLIDATION DESERT CREST AND HIGHLANDS AREA	1,900,000	E-161	
7A	DESERT HOT SPRINGS COUNTY WATER DIST.		EXPANSION OF STP FOR INCREASED WASTE WATER LOADING	500,000	G-248	
7A	DESERT WATER AGENCY CATHEDRAL CITY		UNSEWERED AREA BECOMING TOO POPULATED FOR USE OF INDIVIDUAL SUBSURFACE FACILITIES	3,700,000	F-173	
5A	DIXON, CITY OF		TREATMENT PONDS ARE REACHING CAPACITY	320,000	H-282	
A	DONNER SUMMIT PUBLIC UTILITIES DISTRICT		WDR VIOLATIONS-SEPTIC TANKS IN NORDEN AREA.	1,600,000	H-280	
2	EAST BAY DISCHARGERS AUTHORITY	0868	BASIN PLAN PROHIBITS DISCHARGE INTO SOUTH BAY. REQUIREMENTS FOR HIGHER DEGREE OF TREATMENT	0 4,405,000 84,000,000	C-040	2 3
2	EAST CENTRAL CONTRA COSTA COUNTY WATER MANAGEMENT AGENCY	1002	EAST COUNTY REGIONAL SYSTEM	0 2,500,000 47,000,000	C-044	2 3
8	EASTERN MUN. WATER DISTRICT	0927	WASTEWATER TREATMENT AND DISPOSAL OR INTERCEPTOR FACILITIES, CITY OF PERRIS	0 500,000 0	D-060	2
8	EASTERN MUNICIPAL WATER DISTRICT		REGIONAL WASTEWATER COLLECTION TREATMENT, AND DISPOSAL FOR UNSEWERED AREA-WINCHESTER	2,400,000	F-174	
5A	EL DORADO IRRIGATION DISTRICT	1177	NPDOS TIMETABLE-UPGRADE TREATMENT MAY THRU OCTOBER BY 12/76 EL DORADO HILLS STP	8,000 31,000 461,000	D-146	1 2 3
5A	EL DORADO IRRIGATION DISTRICT-GOLD OAK SCHOOL		FALLING LEACHFIELD, EFFLUENT SURFACING IN THE SCHOOL PLAY GROUNDS, HEALTH HAZARD	100,000	H-284	
5B	ELK GROVE SANITATION DISTRICT	1185	NPDOS TIMETABLE - DISCHARGE TO SURFACE WATERS IS PROHIBITED AFTER 6/76	12,000 46,000 742,000	D-073	1 2 3
5C	EMPIRE SANITARY DISTRICT		DISPOSAL SYSTEM (INTERCEPTOR TO MODESTO) IS AT CAPACITY	355,000	H-262	

BASIN	AGENCY	PROJECT NO.	DESCRIPTION OF PROBLEM	EST. COST BY STEPS	CLASS & RANKING	FISCAL YEAR (AND ASSIGNED STEP)
						75-76 76-77 77-78 78-79 79-80
5D	EXETER, CITY OF	0874	WDR VIOLATIONS - SEWAGE TREATMENT PLANT IMPROVEMENTS	1- 0 2- 40,000 3- 620,000	A-002	2 3
9	FALLBROOK SANITARY DISTRICT	1191	NPDES TIMETABLE - DISCHARGE TO SURFACE WATERS IS PROHIBITED AFTER 6/77	1- 30,000 2- 125,000 3- 2,285,000	C-050	1 2 3
1B	FIELDBROOK COMMUNITY SERVICES DISTRICT		URBANIZING AREA WITH EXTENSIVE INDIVIDUAL DISPOSAL SYSTEM FAILURES	500,000	F-175	
4A	FILLMORE, CITY OF	1017	ADDITIONS TO TREATMENT FACILITIES	1- 8,000 2- 31,000 3- 461,000	D-100	1 2 3
1B	FORT BRAGG, CITY OF	0875	TREATMENT PLANT EXPANSION AND OUTFALL	1- 0 2- 100,000 3- 1,800,000	C-052	2 3
5C	FRANKLIN COUNTY WATER DISTRICT		EXISTING PUMP STATION IS AT CAPACITY	75,000	G-259	
5C	FRESNO COUNTY		UNSEWERED COMMUNITY WITH FAILING SEPTIC SYSTEMS (SHAVER LAKE COMMUNITY)	4,225,000	F-176	
5D	FRESNO, CITY OF		UNSEWERED COMMUNITY (EASTON)	1,800,000	F-177	
5D	FRESNO, CITY OF		UNSEWERED COMMUNITY (HIGHWAY CITY)	1,400,000	F-178	
1B	GEYSERVILLE, CITY OF		FAILING SEPTIC TANKS	1,250,000	F-179	
3	GOLETA SANITARY DISTRICT	1198	NPDES TIMETABLE--UPGRADE TO SECONDARY BY 7/77	1- 110,000 2- 430,000 3- 9,460,000	D-075	1 2 3
5A	GRIDLEY, CITY OF	1243	WDR VIOLATION--INADEQUATE DISINFECTION OF DISCHARGES TO THE FEATHER RIVER	1- 8,000 2- 36,000 3- 536,000	D-150	1 2 3
1A	HAYFORK, COMMUNITY OF		URBANIZING AREA WITH EXTENSIVE INDIVIDUAL DISPOSAL SYSTEM FAILURES	500,000	F-180	

PAGE 07 BASIN	AGENCY	PROJECT NO.	DESCRIPTION OF PROBLEM	EST. ELIGIBLE CLASS & FISCAL YEAR (AND ASSIGNED STEP)	
				COST BY STEPS	RANKING 75-76 76-77 77-78 78-79 79-80
5C	HILMAR COUNTY WATER DISTRICT		TREATMENT PLANT NEAR CAPACITY	300,000	G-246
6B	HILTON CREEK COMMUNITY SERVICES DIST.		PUBLIC HEALTH HAZARD -COUNTY CONSIDERING BUILDING BAN	400,000	F-181
1B	HOLLAND HEIGHTS COMMUNITY SERVICES DISTRICT		UNSEWERED COMMUNITY WITH HEALTH HAZARD	1,500,000	F-182
3	HOLLISTER, CITY OF	0880	WDR VIOLATION-CAPACITY	1- 30,000 2- 130,000 3- 2,340,000	D-076 1 2 3
5C	HUGHSON, CITY OF		NEEDS INCREASED CAPABILITY TO TREAT INDUSTRIAL FLOWS	40,000	G-247
1B	HUMBOLDT BAY W.M. AUTHORITY	0870	REGIONAL FACILITIES	1- 0 2- 900,000 3- 19,000,000	A-003 2 3
1B	HUMBOLDT COUNTY RID # 1 - SHELTER COVE		SHORELINE DISCHARGE TO PACIFIC OCEAN NEAR AREA OF SPECIAL BIOLOGICAL SIGNIFICANCE	50,000	H-267
1B	HUMBOLDT, COUNTY OF		URBANIZING AREA WITH EXTENSIVE INDIVIDUAL DISPOSAL SYSTEM FAILURES-MOONSTONE COMMUNITY	200,000	F-183
1B	HUMBOLDT, COUNTY OF		URBANIZING AREA WITH EXTENSIVE INDIVIDUAL DISPOSAL SYSTEM FAILURES-SAMOA PENINSULA COM.	100,000	F-184
1B	HYDESVILLE COUNTY WATER DISTRICT		URBANIZING AREA WITH EXTENSIVE INDIVIDUAL DISPOSAL SYSTEM FAILURES	500,000	F-185
8	IDYLLWILD COUNTY WATER DISTRICT		INTERCEPTOR NEEDED TO COLLECT WASTES FROM COMMUNITIES OF PINE COVE & FERN VALLEY	3,300,000	F-186
6B	INYO COUNTY SERVICE AREA NO. 1	0813	BISHOP REGIONAL SEWER SYSTEM WDR VIOLATION-BUILDING BAN	1- 0 2- 0 3- 1,900,000	A-004 3
6B	INYO COUNTY SERVICE AREA NO. 1		REGIONAL BOARD PROHIBITION - ROCKING K AREA	100,000	F-187

PAGE 08	AGENCY	PROJECT NO.	DESCRIPTION OF PROBLEM	EST. ELIGIBLE COST BY STEPS	CLASS & RANKING	FISCAL YEAR (AND ASSIGNED STEP)
BASIN						75-76 76-77 77-78 78-79 79-80
5B	IONE, CITY OF	0884	TREATMENT PLANT IMPROVEMENTS	1- 14,000 2- 54,000 3- 932,000	C-055	1 2 3
5D	IVANHOE PUBLIC UTILITIES DISTRICT		TREATMENT PLANT NEAR CAPACITY	440,000	G-240	
5B	JACKSON, CITY OF	0885	WDR PROHIBITS DISCHARGE AFTER JULY 1, 1976.	1- 30,000 2- 115,000 3- 2,055,000	C-053	1 2 3
9	JULIAN SANITATION DISTRICT	0886	NEW TREATMENT PLANT	1- 0 2- 15,000 3- 240,000	A-005	2 3
5D	KETTLEMAN CITY COMMUNITY SERVICES DIST.	1275	FAILING SEPTIC TANKS, SERIOUS PUBLIC HEALTH HAZARD, DISCHARGE PROHIBITION	1- 12,000 2- 44,000 3- 944,000	B-025	1 2 3
5C	KEYES COMMUNITY SERVICES DISTRICT		DETERIORATING FORCE MAIN INTERCEPTOR TO TURLOCK PLANT	750,000	G-222	
8	LAKE ELSINORE, CITY OF		INFLUENT LINE IN NEED OF REPAIR OR REPLACEMENT	145,000	G-231	
9	LAKE SIDE SANITATION DISTRICT		POSSIBLE NEED FOR RECLAIMED WATER	1,060,000	H-268	
2	LAS GALLINAS VALLEY SANITATION DISTRICT & MARIN MUNICIPAL WD		RECLAMATION FACILITIES- LAS GALLINAS VALLEY	550,000	H-264	
4A	LAS VIRGENES MUNICIPAL WATER DISTRICT	1028	ENLARGE OR EXTEND DISPOSAL SYSTEM - TAPIA PLANT	1- 0 2- 200,000 3- 3,300,000	D-081	2 3
5B	LATHROP COUNTY WATER DISTRICT		UNSEWERED COMMUNITY	1,230,000	F-188	
5B	LINCOLN VILLAGE MICE & COL HTS MICE DIST PAC GARDENS SNTY DIS	0893	WDR PROHIBITS DISCH. EFFECTIVE MARCH 1, 1977.	1- 6,000 2- 24,000 3- 320,000	C-034	1 2 3
5D	LINDSAY, CITY OF	0894	TREATMENT PLANT EXPANSION AND REPLACEMENT OF INTERCEPTOR SEWER FROM CAIRNS CORNER	1- 0 2- 60,000 3- 1,220,000	A-006	2 3

PAGE 09	AGENCY	PROJECT NO.	DESCRIPTION OF PROBLEM	EST. ELIGIBLE COST BY STEPS	CLASS & RANKING	FISCAL YEAR (AND ASSIGNED STEP)
BASIN						75-76 76-77 77-78 78-79 79-80
2	LIVERMORE-AMADOR VALLEY WATER MANAGEMENT AGENCY	1031	SUBREGIONAL FACILITIES	1- 0 2- 2,000,000 3- 22,300,000	D-080	2 3
5B	LOCKEFORD SANITARY DISTRICT	1186	WDR TIMETABLE-CONDITIONAL DISCHG PROHIBITION IN SUMMER, BOD & SS LIMITS WHEN DISCH PERMITD	1- 14,000 2- 18,000 3- 228,000	D-144	1 2 3
4B	LOS ANGELES COUNTY SANITATION DISTRICTS	1048	JOINT PLANT SECONDARY TREATMENT - 1ST INC., AND SITE WORK	1- 0 2- 3,000,000 3- 125,000,000	D-061	2 3
4B	LOS ANGELES COUNTY SANITATION DISTRICTS	1048	JOINT PLANT SECONDARY TREATMENT - 2ND INC.	1- 0 2- 2,000,000 3- 100,000,000	D-062	2 3
4B	LOS ANGELES COUNTY SANITATION DISTRICTS	1206	JOINT OUTFALL SYSTEM-REMAINING INCREMENTS	1- 0 2- 4,000,000 3- 0	D-063	2
4B	LOS ANGELES COUNTY SANITATION DISTRICTS	1137	LONG BEACH INTERCEPTOR	1- 0 2- 100,000 3- 1,700,000	D-085	2 3
4B	LOS ANGELES COUNTY SANITATION DISTRICTS	1226	SAN JOSE PLANT FILTERS	1- 60,000 2- 230,000 3- 4,710,000	D-082	1 2 3
4A	LOS ANGELES COUNTY SANITATION DISTRICTS		POTENTIAL VIOLATION OF WASTE DISCHARGE REQUIREMENTS DISTRICTS 26 AND 32	2,000,000	G-219	
4B	LOS ANGELES COUNTY SANITATION DISTRICTS		RECLAMATION-EFFLUENT CONVEYANCE FACILITY EXTENSION - WHITTIER NARROWS WRP	500,000	H-285	
4B	LOS ANGELES COUNTY, COUNTY ENGINEER	0899	MALIBU AREA WASTEWATER FACILITIES	1- 0 2- 200,000 3- 3,800,000	D-151	2 3
4A	LOS ANGELES COUNTY, SANITATION DISTRICT NO. 26	1155	EFFLUENT FILTERS AND SOLIDS HANDLING FACILITIES - SAUGUS	1- 20,000 2- 80,000 3- 1,400,000	D-103	1 2 3
4B	LOS ANGELES COUNTY, COUNTY ENGINEER		INTERCEPTOR TO CITY OF LOS ANGELES SEWER SYSTEM SHERIFF'S DETENTION CAMP NO.15	142,000	E-163	
4B	LOS ANGELES, CITY OF	0667	HYPERION EFFLUENT STANDBY PUMP	1- 0 2- 0 3- 1,000,000	A-018	3

PAGE 10	BASIN	AGENCY	PROJECT NO.	DESCRIPTION OF PROBLEM	EST. ELIGIBLE COST BY STEPS	CLASS & RANKING	FISCAL YEAR (AND ASSIGNED STEP)
4B	LOS ANGELES, CITY OF		0896	HYPERION PLANT INTERIM SLUDGE PROCESSING AND DISPOSAL SYSTEM	1- 0 2- 0 3- 5,000,000	A-019	75-76 76-77 77-78 78-79 79-80
4B	LOS ANGELES, CITY OF		0897	SLUDGE DISPOSAL SYSTEM TERMINAL ISLAND TRMT PLANT	1- 0 2- 200,000 3- 6,200,000	A-007	2 3
4B	LOS ANGELES, CITY OF		1036	SECONDARY TREATMENT AT HYPERION TREATMENT PLANT 100 MGD	1- 0 2- 7,300,000 3- 80,000,000	D-068	2 3
4B	LOS ANGELES, CITY OF		1036	SECONDARY TREATMENT AT HYPERION TREATMENT PLANT COMPLETION	1- 0 2- 2,500,000 3- 52,500,000	D-069	2 3
4B	LOS ANGELES, CITY OF		1202	EFFLUENT DISPOSAL SYSTEM TERMINAL ISLAND	1- 110,000 2- 430,000 3- 9,460,000	D-064	1 2 3
4B	LOS ANGELES, CITY OF		1203	HYPERION-ADDITIONS AND REVISIONS TO PRIMARY SYSTEM	1- 190,000 2- 770,000 3- 17,040,000	D-070	1 2 3
4B	LOS ANGELES, CITY OF		1204	HYPERION EFFLUENT PUMPING - EDUCTOR PUMPS	1- 40,000 2- 150,000 3- 2,810,000	D-071	1 2 3
4B	LOS ANGELES, CITY OF		1205	HYPERION PRIMARY MODERNIZATION	1- 40,000 2- 150,000 3- 2,810,000	D-072	1 2 3
4B	LOS ANGELES, CITY OF		1227	HYPERION DIGESTOR MODERNIZATION	1- 110,000 2- 430,000 3- 9,460,000	D-065	1 2 3
5C	LOS BANDS, CITY OF		0909	NPOES WITH TIME SCHEDULE DISCHARGE PROHIBITION	1- 0 2- 45,000 3- 950,000	D-078	2 3
5C	MADERA COUNTY M.D. NO. 8 (NORTH FORK)		1056	VIOLATION OF WDR AND BASS LAKE-WILLOW CREEK WATER QUALITY CONTROL POLICY	1- 5,000 2- 21,000 3- 274,000	D-152	1 2 3
5C	MADERA COUNTY M.D. NO. 8 (NORTH FORK)			UNSEWERED COMMUNITY WITH FAILING SEPTIC SYSTEMS (SOUTH FORK)	500,000	F-189	
5A	HADISON COMMUNITY SERVICES DISTRICT			PRESENT FACILITIES NEAR CAPACITY, EXPANSION WILL BE NEEDED	50,000	H-278	

PAGE 11 BASIN	AGENCY	PROJECT NO.	DESCRIPTION OF PROBLEM	EST. ELIGIBLE COST BY STEPS			CLASS & RANKING	FISCAL YEAR (AND ASSIGNED STEP)						
				1-	2-	3-		75-76	76-77	77-78	78-79	79-80		
1B	MANILA COMMUNITY SERVICES DISTRICT		URBANIZING AREA WITH EXTENSIVE INDIVIDUAL DISPOSAL SYSTEM FAILURES				F-190							
5B	MANTECA, CITY OF	1187	REGIONAL FACILITIES PLAN	1-	2-	3-	D-117	1						
2	MARIN MUNICIPAL W.D. AND MARIN COUNTY SANITATION DIST.NO.1		RECLAMATION FACILITIES- LOWER ROSS VALLEY				H-269							
5B	MARTELL, COMMUNITY OF - AMADOR COUNTY	0844	SEPTIC TANKS PROHIBITED AFTER JULY 1, 1976. NEEDS TREATMENT ENTITY FORMED	1-	2-	3-	B-023	1	2	3				
	MARYSVILLE, CITY OF		LACK OF SLUDGE DRYING BEDS AND INFILTRATION PROBLEMS				G-228							
5A	MARYSVILLE, CITY OF		COLLECTION AND INTERCEPTOR LINES DETERIORATED CAUSING INFILTRATION PROBLEMS				G-229							
5A	MAXWELL PUBLIC UTILITIES DISTRICT		COLLECTOR LINES PRESENT INFILTRATION PROBLEMS				G-251							
5D	MCFARLAND, CITY OF	0911	TREATMENT PLANT IMPROVEMENTS	1-	2-	3-	A-008	2	3					
1B	MENDOCINO COUNTY WATERWORKS DIST.NO.2	1224	WDR VIOLATION-DISCHARGE PROHIBITION	1-	2-	3-	D-153	1	2	3				
1B	MIRANDA COMMUNITY SERVICES DISTRICT		URBANIZING AREA WITH EXTENSIVE INDIVIDUAL DISPOSAL SYSTEM FAILURES				F-191							
5C	MODESTO, CITY OF	1063	NEW WDR REQUIRE UPGRADING OF TREATMENT AND INCLUDES TIME SCHEDULE FOR COMPLIANCE	1-	2-	3-	D-077	2		3				
6B	MOJAVE PUBLIC UTILITIES DISTRICT		UPGRADE TREATMENT AND INCREASE CAPACITY				H-276							
3	MONTECITO SANITARY DISTRICT		SECONDARY CLARIFIERS OVER CAPACITY, RELIABILITY MODIFICATIONS				G-226							

PAGE 12	AGENCY	PROJECT NO.	DESCRIPTION OF PROBLEM	EST. ELIGIBLE COST BY STEPS	CLASS & RANKING	FISCAL YEAR (AND ASSIGNED STEP)
BASIN						75-76 76-77 77-78 78-79 79-80
3	MONTEREY COUNTY SERVICE AREA NO. 45		UNSEWERED AREA - MOSS LANDING	750,000	F-192	
3	MONTEREY PENINSULA WATER POLLUTION CONTROL AGENCY	1066	CONSTRUCT REGIONAL SEWERAGE SYSTEM	1- 920,000 2- 3,670,000 3- 85,410,000	C-033	1 2 3
4A	MOORPARK COUNTY SANITATION DISTRICT	1228	NPDES REQUIREMENTS FOR FILTRATION, TURBIDITY	15,000	D-154	1
3	MORRO BAY, CITY OF	0914	UPGRADE EFFLUENT DISPOSAL	1- 50,000 2- 200,000 3- 4,000,000	C-046	1 2 3
2	MOUNTAIN VIEW SANITARY DISTRICT	1241	NPDES VIOLATION-CHLORINE RESIDUAL	1- 5,000 2- 21,000 3- 274,000	D-114	1 2 3
5B	MURPHYS SANITARY DISTRICT	1067	WDR VIOLATION- DISCHARGE PROHIBITION	1- 8,000 2- 31,000 3- 461,000	D-135	1 2 3
7B	NEEDLES, CITY OF	1197	NPDES TIME SCHEDULE FOR COMPLIANCE WITH COLIFORM LIMITATIONS	1- 8,000 2- 34,000 3- 538,000	D-121	1 2 3
5A	NEVADA COUNTY	1069	HEALTH HAZARD AND BUILDING BAN - COMMUNITY OF NORTH SAN JUAN	1- 5,000 2- 21,000 3- 374,000	B-024	1 2 3
5A	NEVADA COUNTY SANITATION DIST.NO.1		ANTICIPATED VIOLATION OF NO DISCHARGE REQUIREMENT. LAKE OF THE PINES	40,000	F-193	
1A	NEWELL COUNTY WATER DISTRICT		INOPERATIVE TREATMENT FACILITY RAW DISCHARGE TO GROUND	50,000	H-286	
5C	NEWMAN,CITY OF	1190	NPDES TIMETABLE-UPGRADE TO SECONDARY TREATMENT BY 7/77	1- 4,000 2- 18,000 3- 228,000	D-113	1 2 3
3	NIPOMO COMMUNITY SERVICES DISTRICT	1255	HEALTH HAZARD AND BUILDING BAN IN UNSEWERED COMMUNITY	1- 12,000 2- 44,000 3- 944,000	B-026	1 2 3
2	NORTH BAYSIDE SYSTEM UNIT	1235	SOUTH SAN FRANCISCO-SAN BRUNO STP IN VIOLATION OF NPDES COLIFORM&TOXICITY REQUIREMENTS	1- 26,000 2- 105,000 3- 1,870,000	D-098	1 2 3

BASIN	AGENCY	PROJECT NO.	DESCRIPTION OF PROBLEM	EST. ELIGIBLE COST BY STEPS	CLASS & RANKING	FISCAL YEAR (AND ASSIGNED STEP)
						75-76 76-77 77-78 78-79 79-80
2	NORTH BAYSIDE SYSTEM UNIT	1267	SOLIDS MANAGEMENT FOR BURLINGAME, MILBRAE, AND SO SAN FRANCISCO-SAN BRUNO	1- 50,000 2- 0 3- 0	D-099 1	
2	NORTH MARIN COUNTY WATER DISTRICT		OLEMA & POINT REYES NATIONAL SEASHORE HEADQUARTERS AND LAND DISPOSAL FACILITIES	230,000	F-194	
2	NORTH MARIN COUNTY WATER DISTRICT		COLLECTION, TREATMENT AND DISPOSAL FACILITIES, POINT REYES STN	1,200,000	F-195	
4A	DAK VIEW SNTY DIST.	1219	NPDES REQUIREMENTS FOR FILTRATION, TURBIDITY	1- 20,000 2- 80,000 3- 1,400,000	D-101 1 2 3	
	OCEANSIDE, CITY OF	1192	UNDER TIME SCHEDULE TO PROVIDE SECONDARY TREATMENT - OCEAN DISCHARGE-LA SALINA	1- 40,000 2- 155,000 3- 2,885,000	D-125 1 2 3	
8	ORANGE COUNTY S.D.; CHINO BASIN M.W.D.; BREA, CITY OF		AREAWIDE FACILITIES PLAN FOR CARBON CANYON AREA. INSTITTUDINAL PROBLEMS	50,000	F-165	
8	ORANGE COUNTY SANITATION DISTRICTS PLANT NO. 2	1073	NPDES VIOLATION - SUSPENDED SOLIDS AND BOD - 1ST INC. OF SECONDARY TREATMENT	1- 0 2- 2,500,000 3- 58,500,000	D-083 2 3	
8	ORANGE COUNTY SANITATION DISTRICTS PLANT NO. 2	1073	NPDES VIOLATION - SUSPENDED SOLIDS AND BOD - 2ND INC. OF SECONDARY TREATMENT	1- 0 2- 2,000,000 3- 45,500,000	D-084 2 3	
18	ORICK COMMUNITY SERVICES DISTRICT		URBANIZING AREA WITH EXTENSIVE INDIVIDUAL DISPOSAL SYSTEM FAILURES	100,000	F-196	
9	OTAY MUNICIPAL WATER DISTRICT		POSSIBLE USE FOR RECLAIMED WATER - JAMACHA BASIN	3,658,000	H-273	
9	OTAY MUNICIPAL WATER DISTRICT		POSSIBLE USE FOR RECLAIMED WATER - DEHESHA	941,000	H-274	
2	PACIFICA, CITY OF	0925	ADDITION OF SECONDARY TREATMENT FACILITIES	1- 0 2- 0 3- 5,700,000	A-009 3	
3	PAJARO COUNTY SANITATION DISTRICT		EXISTING INTERCEPTOR DETERIORATED	500,000	H-265	

PROJECT NO.	AGENCY	DESCRIPTION OF PROBLEM	EST. ELIGIBLE COST BY STEPS	CLASS & RANKING	FISCAL YEAR (AND ASSIGNED STEP)
			1- 2- 3-		75-76 76-77 77-78 78-79 79-80
1	PAGE 14 BASIN				
2	PALO ALTO, CITY OF	NITRIFICATION AND FILTRATION	1- 110,000 2- 430,000 3- 9,460,000	D-066	1 2 3
5C	PATTERSON, CITY OF	NPDES TIMETABLE-UPGRADE TO SECONDARY TREATMENT BY 7/77	1- 8,000 2- 31,000 3- 461,000	D-079	1 2 3
9	PINE VALLEY SANITATION DISTRICT	INTERIM STP IS INADEQUATE	350,000	G-224	
5D	PIXLEY PUBLIC UTILITIES DISTRICT	TREATMENT PLANT AT END OF DESIGN LIFE	55,000	G-244	
5A	PLACER COUNTY SERVICE AREA NO.20	THIS AREA NOW BORROWS CAPACITY AT SAD NO.2 PLANT, THUS LIMITING CAPACITY FOR SAD NO.2	300,000	E-164	
5A	PLACER COUNTY DEPT. OF PUBLIC WORKS	NPDES TIMETABLE-DISCHARGE PROHIBITION IN SUMMER BY 7/77	1- 14,000 2- 52,000 3- 884,000	D-145	1 2 3
5A	PLACER COUNTY SEMER MAINTENANCE DISTRICT NO.1	FALLING LEACHFIELDS IN UNSEWERED AREA. PANORAMA AREA	300,000	F-197	
5A	PLACER COUNTY SEMER MAINTENANCE DISTRICT NO.1	UNSEWERED AREA WITH SOME LEACHFIELD FAILURES AND HEALTH HAZARDS-TERRA HEIGHTS AREA	300,000	F-198	
5C	PLANADA SANITARY DISTRICT	SURFACE WATER DISCHARGE DOES NOT MEET FED. SEC. STDS. NPDES PERMIT WITH TIME SCHEDULE	1- 8,000 2- 31,000 3- 461,000	D-118	1 2 3
5A	PLEASANT RIDGE SCHOOL DISTRICT	RECENTLY ACQUIRED FACILITY HAS INSUFFICIENT TREATMENT CAPACITY-ARVIN SCHOOL	35,000	G-253	
5A	PLEASANT RIDGE SCHOOL DISTRICT	LEACHFIELD IS OVERLOADED AND IS A HEALTH HAZARD - PLEASANT RIDGE SCHOOL	35,000	H-281	
2	PLEASANTON, CITY OF	INTERCEPTOR SEMER TO VALLEY COMMUNITY SERVICES DISTRICT	1- 0 2- 450,000 3- 4,200,000	C-037	2 3
9	POWERS COUNTY WATER DISTRICT	WASTEWATER RECLAMATION PROJECT	500,000	H-287	

BASIN	AGENCY	PROJECT NO.	DESCRIPTION OF PROBLEM	EST. ELIGIBLE COST BY STEPS			CLASS & RANKING	FISCAL YEAR (AND ASSIGNED STEP)						
				1-	2-	3-		75-76	76-77	77-78	78-79	79-80		
9	RAINBOW MUNICIPAL WATER DISTRICT	1193	WDR VIOLATION - BOD AND DISINFECTION - PLANT A	1- 10,000	2- 42,000	3- 648,000	D-095	1	2	3				
5A	RED BLUFF, CITY OF	1213	WDR VIOLATION-SUSPENDED SOLIDS AND CHLORINE RESIDUAL	1- 5,000	2- 21,000	3- 274,000	D-111	1	2	3				
1B	REDWOODS JUNIOR COLLEGE DISTRICT	1194	NPDES VIOLATION-CHLORINE RESIDUAL	1- 2,000	2- 8,000	3- 90,000	C-041	1	2	3				
5A	RICHVALE SANITARY DISTRICT	1180	NPDES TIMETABLE-UPGRADE TO SECONDARY TREATMENT BY 7/77	1- 3,000	2- 13,000	3- 164,000	D-136	1	2	3				
1B	RIO DELL, CITY OF	1195	WDR/NPDES VIOLATIONS DUE TO HIGH WINTER INFILTRATION/INFLOW	1- 50,000	2- 0	3- 0	D-155	1						
7B	RIPLEY, COMMUNITY OF		FAILURE OF SUBSURFACE DISPOSAL FACILITIES BECAUSE OF HIGH GROUND WATER AND TIGHT SOIL	100,000			F-199							
5D	RIVERDALE PUBLIC UTILITIES DISTRICT		TRICKLING FILTER FOUNDATION FAILURE	95,000			G-241							
5A	ROCKLIN-LOOMIS MUNICIPAL UTILITIES DISTRICT	1188	NPDES TIMETABLE-DISCHARGE PROHIBITION BY 1/77-ROGERSDALE PLANT.	1- 4,000	2- 15,000	3- 181,000	D-137	1	2	3				
5B	SACRAMENTO COUNTY RIO COSUMNES CORRECTIONAL CENTER	1236	EXISTING PLANT VIOLATING WDR - DISINFECTION	1- 10,000	2- 42,000	3- 648,000	D-148	1	2	3				
5B	SACRAMENTO COUNTY SERVICE AREA NO. 9		UNSEWERED COMMUNITY WITH FAILING SEPTIC TANKS-HOOD	160,000			F-200							
5A	SACRAMENTO COUNTY DEPT OF AIRPORTS		EXISTING ZERO DISCHARGE PLANT IS APPROACHING CAPACITY METROPOLITAN AIRPORT	200,000			H-279							
5A	SACRAMENTO REGIONAL COUNTY SANITATION DISTRICT	1181	ARDEN PLANT-DECHLORINATION NEEDED TO MEET WDR EFFECTIVE FEB. 1, 1976	1- 3,000	2- 14,000	3- 163,000	D-086	1	2	3				

PAGE 16	BASIN	AGENCY	PROJECT NO.	DESCRIPTION OF PROBLEM	EST. ELIGIBLE COST BY STEPS	CLASS & RANKING	FISCAL YEAR (AND ASSIGNED STEP)
							75-76 76-77 77-78 78-79 79-80
5A	SACRAMENTO REGIONAL COUNTY SANITATION DISTRICT		1182	CORDOVA PLANT-DECHLORINATION NEEDED TO MEET WDR EFFECTIVE FEB. 1, 1976	1- 3,000 2- 11,000 3- 116,000	D-087	1 2 3
5A	SACRAMENTO REGIONAL COUNTY SANITATION DISTRICT		1230	NORTHEAST AREA CONVEYANCE FACILITIES. N.E. AREA PLANTS TO BE CLOSED BY NPDES REQUIREMENT	1- 550,000 2- 2,200,000 3- 51,250,000	D-089	1 2 3
5A	SACRAMENTO REGIONAL COUNTY SANITATION DISTRICT		1231	NATOMAS AREA CONVEYANCE FACILITIES. NATOMAS AREA PLANTS TO BE CLOSED BY NPDES REQUIREMENT	1- 260,000 2- 1,060,000 3- 23,680,000	D-090	1 2 3
5A	SACRAMENTO REGIONAL COUNTY SANITATION DISTRICT		1232	RIO LINDA PLANT NEEDS INTERIM IMPROVEMENTS TO MEET WDR IN EFFECT AT PRESENT TIME	1- 5,000 2- 21,000 3- 274,000	D-091	1 2 3
5A	SACRAMENTO REGIONAL COUNTY SANITATION DISTRICT		1273	N.E. PLANT-DECHLORINATION NEEDED TO MEET WDR EFFECTIVE FEB. 1, 1976	1- 3,000 2- 12,000 3- 145,000	D-088	1 2 3
8	SAN BERNARDINO CO. SERVICES AREA NO. 70 IMPROVEMENT ZONE S-3		1239	FACILITIES PLAN FOR LYTLE CK. AREA-SUBSURFACE DISPOSAL AND SEPTIC TANK PROHIBITION	1- 20,000 2- 0 3- 0	B-027	1
8	SAN BERNARDINO CO. SERVICES AREA NO. 70 IMP. ZONE S-4, S-5CS-6		1240	FACILITIES PLAN FOR MILL CREEK AREA-SUBSURFACE DISPOSAL AND SEPTIC TANK PROHIBITION	1- 60,000 2- 0 3- 0	B-028	1
68	SAN BERNARDINO CO. SERVICES AREA NO. 1		1274	WDR COMPLIANCE -PROVIDE TREATMENT-TRONA-PIONEER PT.	1- 2,000 2- 8,000 3- 90,000	D-133	1 2 3
68	SAN BERNARDINO CO. SERVICES AREA NO. 56			WDR COMPLIANCE -PROVIDE TREATMENT, DRAFT COMP PLAN HAS BUILDING BAN- WRIGHTWOOD	100,000	F-201	
78	SAN BERNARDINO CO. SERVICES AREA NO. 72 LAKE HAVASU			ELIMINATE BACTERIOLOGICAL THREAT TO COLORADO RIVER WATER	300,000	F-202	
4A	SAN BUENAVENTURA, CITY OF		1222	NPDES TIMETABLE FOR DISCHARGE PROHIBITION TO SANTA CLARA RIVER TIDAL PRISM AFTER 2/77	1- 150,000 2- 0 3- 0	D-094	1
9	SAN DIEGO COUNTY			CONSOLIDATION OF NORTH COUNTY SLUDGE DISPOSAL FACILITIES PLAN	25,000	E-160	
9	SAN DIEGO, CITY OF		1093	NPDES VIOLATION - DISCHARGE PROHIBITION - BROWN FIELD	1- 0 2- 50,000 3- 800,000	D-122	2 3

BASIN	AGENCY	PROJECT NO.	DESCRIPTION OF PROBLEM	EST. ELIGIBLE COST BY STEPS	CLASS & RANKING	FISCAL YEAR (AND ASSIGNED STEP)
9	SAN DIEGO, CITY OF	1234	UNDER TIME SCHEDULE TO PROVIDE SECONDARY TREATMENT - OCEAN DISCHARGE--POINT LOMA STP	1- 0 2- 4,000,000 3- 94,000,000	D-096	2 3
2	SAN FRANCISCO, CITY AND COUNTY OF	1098	RICHMOND-SUNSET WATER POLLUTION CONTROL PLANT PRIMARY TREATMENT FILTRATION	1- 0 2- 600,000 3- 12,000,000	C-038	2 3
2	SAN FRANCISCO, CITY AND COUNTY OF	1099	SOUTH EAST TREATMENT PLANT EXPANSION	1- 0 2- 3,500,000 3- 83,000,000	C-029	2 3
2	SAN FRANCISCO, CITY AND COUNTY OF	1100	INTERIM OUTFALL BAY DISCHARGE SOUTH EAST OUTFALL	1- 0 2- 200,000 3- 7,000,000	C-030	2 3
2	SAN FRANCISCO, CITY AND COUNTY OF	1101	SOUTHEAST PLANT INTERIM IMPROVEMENTS	1- 0 2- 0 3- 4,000,000	D-067	3
2	SAN FRANCISCO, CITY AND COUNTY OF		LOG CABIN RANCH SCHOOL TREATMENT PLANT ADDITIONS	70,000	H-277	
5C	SAN FRANCISCO, CITY AND COUNTY OF	1178	WDR TIMETABLE--MOVE LEACHFIELD FOR COMMUNITY SEPTIC TANK BY 1/77. (MOCCASIN POWER PLANT)	1- 4,000 2- 15,000 3- 182,000	C-056	1 2 3
5B	SAN JOAQUIN COUNTY, COUNTY HOSPITAL	0946	TREATMENT PLANT IMPROVEMENTS	1- 3,000 2- 13,000 3- 164,000	C-048	1 2 3
5D	SAN JOAQUIN, CITY OF	1199	WDR VIOLATION--POLLUTION GROUND & SURFACE WATERS	1- 7,000 2- 29,000 3- 414,000	D-140	1 2 3
2	SAN LEANDRO, CITY OF		WASTEWATER RECLAMATION FACILITIES	860,000	H-266	
3	SAN LORENZO VALLEY COUNTY WATER DIST.		TREATMENT FACILITY AT CAPACITY AND DISPOSAL SYSTEM AT CAPACITY - BEAR CREEK ESTATES	68,000	G-252	
3	SAN LUIS OBISPO COUNTY SERVICE AREA NO. 16		UNSEWERED AREA - SHANDON	300,000	F-203	
3	SAN LUIS OBISPO, CITY OF	1215	NPOES TIMETABLE - DISCHARGE PROHIBITION APRIL THRU NOV. BY 4/79	1- 30,000 2- 130,000 3- 2,340,000	D-108	1 2 3

BASIN	AGENCY	PROJECT NO.	DESCRIPTION OF PROBLEM	EST. ELIGIBLE COST BY STEPS	CLASS & RANKING	FISCAL YEAR (AND ASSIGNED STEP)
3	SAN SIMEDON AGRES COMMUNITY SERVICES DISTRICT		AT CAPACITY AND TREATMENT MARGINAL	250,000	G-234	75-76 76-77 77-78 78-79 79-80
8	SANTA ANA WATERSHED PROJECT AUTHORITY	0951	OCEAN DISPOSAL FOR NONRECLAIM- ABLE WASTE - STAGE 4A, 4B, 4C OF A FOUR STAGE PROJECT	145,000 0 0	A-010	1
8	SANTA ANA WATERSHED PROJECT AUTHORITY	0951	OCEAN DISPOSAL OF NON-RECLAIM- ABLE WASTE STAGE 4A & 4B OF A FOUR STAGE PROJECT	0 330,000 7,200,000	A-011	2 3
8	SANTA ANA WATERSHED PROJECT AUTHORITY	0951	OCEAN DISPOSAL OF NON-RECLAIM- ABLE WASTE - STAGE 4C OF A FOUR STAGE PROJECT	0 140,000 2,600,000	A-012	2 3
	SANTA CRUZ COUNTY SANITATION DISTRICT		UNSEWERED AREA - LA SELVA/ APTOS INTERCEPTOR	1,500,000	F-204	
3	SANTA CRUZ, CITY OF	1106	EFFLUENT DISPOSAL	1- 200,000 2- 1,000,000 3- 20,000,000	D-104	1 2 3
3	SANTA MARIA PUBLIC AIRPORT DISTRICT	1217	NPDES TIMETABLE-DISCHARGE PROHIBITION BY 7/78	1- 4,000 2- 17,000 3- 219,000	D-123	1 2 3
3	SANTA MARIA, CITY OF		THREATENED WDR VIOLATION - DISCHARGE PROHIBITION	680,000	H-270	
5C	SANTA NELLA COUNTY WATER DISTRICT		NEED CAPACITY FOR FUTURE GROWTH	300,000	G-242	
4A	SANTA PAULA, CITY OF	1229	NPDES REQUIREMENTS FOR FILTRA- TION, TURBIDITY	1- 40,000 2- 150,000 3- 2,840,000	D-105	1 2 3
3	SCOTTS VALLEY, CITY OF		LACK OF LABORATORY FOR CONTROL OF PLANT OPERATION AND LACK OF SLUDGE HANDLING FACILITIES	86,000	G-221	
7A	SEELEY COUNTY WATER DISTRICT	1196	NPDES UPGRADING TO SECONDARY TREATMENT	1- 5,000 2- 21,000 3- 274,000	D-147	1 2 3
4A	SIMI VALLEY COUNTY SANITATION DISTRICT	1218	NPDES REQUIREMENTS FOR FILTRA- TION, TURBIDITY	1- 40,000 2- 150,000 3- 2,810,000	D-102	1 2 3

AGENCY	PROJECT NO.	DESCRIPTION OF PROBLEM	EST. COST BY STEPS	CLASS & RANKING	FISCAL YEAR (AND ASSIGNED STEP)
5A STIRLING CITY		INFILTRATION PROBLEMS	80,000	G-256	
5B STOCKTON, CITY OF	0961	NORTHWEST TREATMENT PLANT INTERCEPTOR TO STOCKTON MAIN	0 400,000 8,000,000	C-035	2 3
5B STOCKTON, CITY OF	1189	STOCKTON AIRPORT PLANT-SURFACE WATER DISCHARGE PROHIBITED AFTER MAR. 1, 1977 BY MDR	6,000 25,000 339,000	D-157	1 2 3
5D STRATHMORE PUBLIC UTILITIES DISTRICT		TREATMENT PLANT IS NEAR CAPACITY	150,000	G-245	
5D TAFT, CITY OF	1200	SURFACE WATER DISCHARGE DOES NOT MEET SECONDARY STANDARDS	2,000 8,000 90,000	D-127	1 2 3
4A THOUSAND OAKS, CITY OF	1220	NPDES REQUIREMENTS FOR FILTRATION, CHLORINE RESIDUAL AND TURBIDITY-HILL CANYON STP	20,000 85,000 1,495,000	D-106	1 2 3
4A THOUSAND OAKS, CITY OF	1221	NPDES REQUIREMENTS FOR CHLORINE RESIDUAL OLSEN ROAD STP	1,000 3,000 26,000	D-107	1 2 3
4A THOUSAND OAKS, CITY OF		RELIEVE EXISTING OVERLOAD, INCREASE SYSTEM RELIABILITY ELIMINATE OUBRACHO LIFT STN	200,000	G-225	
5D THREE RIVERS COMMUNITY SERVICES DIST.	1123	INTERCEPTOR AND STP	1- 0 2- 230,000 3- 3,570,000	D-141	2 3
5D THREE RIVERS COMMUNITY SERVICES DIST.		UNSEWERED COMMUNITY FAILING SEPTIC TANKS CREATING PUBLIC HEALTH PROBLEMS DEGRADES RIVER	4,200,000	F-210	
5D THREE ROCKS (FRESNO COUNTY)		NUISANCE AND ODDR	65,000	G-260	
5D TRANQUILITY PUBLIC UTILITIES DISTRICT		TREATMENT FACILITIES AT CAPACITY	170,000	G-236	
1B TRINIDAD, CITY OF		URBANIZING AREA WITH EXTENSIVE INDIVIDUAL DISPOSAL SYSTEM FAILURES	200,000	F-211	

BASIN	AGENCY	PROJECT NO.	DESCRIPTION OF PROBLEM	EST. ELIGIBLE COST BY STEPS	CLASS RANKING	FISCAL YEAR (AND ASSIGNED STEP)
				1- 2- 3-		75-76 76-77 77-78 78-79 79-80
5D	TULARE COUNTY HOUSING AUTHORITY, LINNEL FARM CENTER		PLANT MODIFICATIONS TO INCREASE RELIABILITY	35,000	G-257	
5C	TUOLUMNE CITY SANITARY DISTRICT	0966	NPDES REQUIRES LAND DISPOSAL AFTER JAN. 1, 1977.	1- 5,000 2- 21,000 3- 274,000	C-054	1 2 3
5C	TUOLUMNE COUNTY WATER DISTRICT NO. 2	0967	PLANT IMPROVEMENT & OUTFALL SECOND STAGE	1- 0 2- 420,000 3- 10,000,000	A-015	2 3
5C	TURLOCK, CITY OF	1172	NPDES TIMETABLE--UPGRADE TO SECONDARY TREATMENT BY 7/77	1- 40,000 2- 150,000 3- 2,810,000	C-036	1 2 3
7A	TWENTYNINE PALMS CO. WATER DISTRICT		UNSEWERED AREA BECOMING TOO POPULATED FOR USE OF INDIVIDUAL SUBSURFACE FACILITIES	6,100,000	F-212	
2	VALLEJO SFCD, NAPA SD AMERICAN CANYON CO. W.D.	1268	SOLIDS MANAGEMENT FACILITIES	1- 25,000 2- 0 3- 0	D-092	1
9	VALLEY CENTER MUNICIPAL WATER DISTRICT		POTENTIAL WATER QUALITY AND HEALTH HAZARD IN VALLEY CENTER AREA	2,000,000	F-213	
2	VALLEY COMMUNITY SERVICES DISTRICT	1125	TREATMENT PLANT ENLARGEMENT PHASE I & II OF STAGE III	1- 130,000 2- 520,000 3- 11,350,000	C-039	1 2 3
4A	VENTURA COUNTY PUBLIC WORKS AGENCY		POTENTIAL HEALTH HAZARD NYELAND ACRE SEWERAGE COLL. SYSTEM	440,000	F-214	
4A	VENTURA COUNTY PUBLIC WORKS AGENCY		POTENTIAL HEALTH HAZARD EL RIO SEWERAGE COLL. SYSTEM	1,900,000	F-215	
4A	VENTURA COUNTY WATER WORKS DISTRICT NO. 1		POTENTIAL HEALTH HAZARD UNSEWERED COMMUNITY MOORPARK HOME ACRES	300,000	F-216	
4A	VENTURA REGIONAL CO. SANITATION DISTRICT		TD HANDLE PROBLEM WASTE AND PREVENT PLANT UPSETS	1,600,000	G-223	
5D	MASCO PUBLIC UTILITIES DISTRICT	0974	ADDITION OF SECONDARY TREATMENT AND UPGRADING WITH 1.2MGD	1- 0 2- 60,000 3- 1,220,000	A-016	2 3

BASIN	AGENCY	PROJECT NO.	DESCRIPTION OF PROBLEM	EST. ELIGIBLE COST BY STEPS			CLASS & RANKING	FISCAL YEAR (AND ASSIGNED STEP)						
				1	2	3		75-76	76-77	77-78	78-79	79-80		
5C	WATERFORD COMMUNITY SERVICE DISTRICT		CITY OF WATERFORD IS PARTIALLY SEWERED. PLANT EXPANSION NECESSARY IF SERVICE EXTENDED		400,000		H-261							
3	WATSONVILLE, CITY OF	1128	UPGRADE SEWAGE TREATMENT AND EXTEND OUTFALL	1-	100,000		D-093	1	2	3				
				2-	390,000									
				3-	8,510,000									
1A	HEED, CITY OF	0975	TWO FACILITIES, BOTH DISCHARGE IN VIOLATION OF BASIN 1A PROHIBITION	1-	12,000		C-032	1	2	3				
				2-	50,000									
				3-	830,000									
2	WEST CONTRA COSTA WASTEWATER MGT AGENCY	1154	STP VIOLATING NPDES - REGIONAL SYSTEM	1-	0		C-059	2	3					
				2-	900,000									
				3-	24,000,000									
5A	WEST SACRAMENTO SANITARY DISTRICT		INFILTRATION PROBLEMS WITH DE-TERIORATED INTERCEPTORS IN PORTIONS OF DISTRICT		2,300,000		G-220							
8	WEST SAN BERNARDINO COUNTY WATER DIST.		INTERCEPTOR FROM UNSEWERED COMMUNITY (BLODMINGTON)		2,300,000		F-217							
5A	WESTERN NEVADA COUNTY WASTEWATER AUTHORITY	1020	CONSOLIDATION AND REQUIRED UPGRADING, WITH TIME SCHEDULE- GRASS VALLEY AND NEVADA CITY	1-	100,000		C-057	1	2	3				
				2-	200,000									
				3-	6,000,000									
7A	WESTMORLAND, CITY OF	1129	WDR VIOLATION-EXCESSIVE INFILTRATION INTO SEWER LINES-FLOWS EXCEEDING DESIGN CAPACITY	1-	0		D-132	2	3					
				2-	15,000									
				3-	180,000									
5A	WESTWOOD MANOR SEMER MAINTENANCE DIST.	1270	WDR VIOLATION-INADEQUATE DISINFECTON DUE TO SEEPAGE	1-	10,000		D-139	1	2	3				
				2-	42,000									
				3-	648,000									
5A	WESTWOOD, COMMUNITY OF		ANTICIPATED VIOLATION OF WDR. NO DISCHARGE. ODDR PROBLEMS.		200,000		G-254							
9	WHISPERING PALMS SANITATION DISTRICT		INTERIM OXIDATION POND REPLACEMENT TO PREVENT WDR VIOLATIONS		269,000		H-283							
5A	WILLIAMS, CITY OF		EXCESS INFILTRATION IN INTER-CEPTOR LINES		530,000		G-249							
1A	WILLOW CREEK COMM-UNITY SERVICE DIST.		URBANIZING AREA WITH EXTENSIVE INDIVIDUAL DISPOSAL SYSTEM FAILURES		50,000		F-218							

PAGE 23
 BASIN AGENCY PROJECT NO. EST. ELIGIBLE CLASS & FISCAL YEAR (AND ASSIGNED STEP)
 COST BY STEPS RANKING 75-76 76-77 77-78 78-79 79-80

5A WILLOWS, CITY OF INFILTRATION PROBLEMS AND PLANT CAPACITY 650,000 G-250

5C WINTON SANITARY DISTRICT 1201 TREATMENT PLANT AT CAPACITY 1- 3,000 D-119 1 2 3
 2- 12,000
 3- 135,000

5A WOODLAND, CITY OF 1163 NPDES TIMETABLE-UPGRADE TO SECONDARY TREATMENT BY 1/77 1- 12,000 D-112 1 2 3
 2- 48,000
 3- 790,000

2 YOUNTVILLE, CITY OF 0979 FACILITIES TO COMPLY WITH BASIN PLAN OBJECTIVES (INCLUDES VETERANS HOME) 1- 20,000 C-045 1 2 3
 2- 80,000
 3- 1,400,000

YUCAIPA VALLEY CO. WATER DISTRICT 0980 COLLECTOR SYSTEM, YUCAIPA VALLEY-CALIMESA INTERCEPTOR AND 4 MGD SECONDARY, AMKON REM 1- 0 A-017 2 3
 2- 1,000,000
 3- 20,000,000

END OF LIST

EXHIBIT B

FISCAL YEAR 1975-76 PRIORITY LIST

The following projects are shown on the preceding preliminary project list in Priority Classes A through D, but are not in strict conformance with the priority class criteria, as defined in Section 2108 of the Clean Water Grant Regulations. This is due to minor nature of the nonconformity. These projects are, however, recommended for the priority class as listed.

Agency	Priority Class	Nonconformance with Regulations
asin 5C Coulterville Co. Service Area No. 1	B	Discharge prohibition adopted by Regional Board on 3-21-75, but not yet approved by State Board.
5D Kettleman City Community Services District	B	Discharge prohibition adopted by Regional Board on 3-21-75, but not yet approved by State Board.
2 BASSA	D, Step 1 only	Solids management study. No violation of WDR's
2 Central Contra Costa Sanitary District	D, Step 1 only	Solids management study. No violation of WDR's
2 North Bayside System Unit	D	Solids management study. No violation of WDR's. Incorrectly shown for Steps 1, 2, and 3. Should be Step 1 only.
2 Vallejo SFCD, Napa SD, American Canyon CWD	D, Step 1 only	Solids management study. No violation of WDR's
6B San Bernardino CSA No. 1	D	New waste discharge requirements to be adopted by Regional Board on 4-24-75. No existing WDR's.

EXHIBIT C

SPECIAL CONSIDERATION REQUESTED BY
REGIONAL BOARD AND/OR STATE BOARD STAFF

REGION 1

<u>Agency</u>	<u>Description/Justification</u>	<u>Est. Cost</u>	<u>Regional Board Request</u>	<u>State Board Staff Comments/Recommendations</u>
Humboldt, County of	Project for treatment works, including collection system, for unsewered area of Rohnerville-Campton Heights. Building ban in effect. Project is Group III, not a separate community	50,000 (Step 1)	Place in Priority Class B, Step 1 only	No position, pending receipt of documentation.
Del Norte County Service Area No. 1	Project for treatment works, including collection system, for unsewered area near Crescent City. Project is Group III, not a separate community.	50,000 (Step 1)	Place in Priority Class B, Step 1 only	No position, pending receipt of documentation.

Rev. 4/9/75

REGION 2

SPECIAL CONSIDERATION REQUESTED BY
REGIONAL BOARD AND/OR STATE BOARD STAFF

<u>Agency</u>	<u>Description/Justification</u>	<u>Est. Cost</u>	<u>Regional Board Request</u>	<u>State Board Staff Comments/Recommendations</u>
East Bay Municipal Utility District	Step 1 project is for all facilities planning including wet weather and reclamation. Step 2 project is for wet weather flow storage and treatment (Phase I) and I&I control (Phase III). Project necessary to eliminate combined flow bypassing during wet weather in compliance with NPDES schedule. Group II project.	700,000 (Step 1) 4,260,000 (Step 2)	Elevate to Group I, Priority Class B for Steps 1 & 2	Elevate to Group I, Priority Class D for Step 1 only
San Francisco, City and County of	Project is conversion of N. Point Treatment Plant to treat wet weather flows in order to comply with NPDES schedule. Project is Group II	100,000 (Step 1)	Elevate to Group I, Priority Class D, for Step 1	Elevate to Group I, Priority Class D, for Step 1
San Francisco, City and County of	Project for combined flow ocean outfall (Part I). Project necessary to comply with NPDES prohibition and schedule. Group II project.	16,000,000 (Steps 2 & 3)	Elevate to Group I, Priority Class D for Steps 2 & 3	Elevate to Group I, Priority Class D, for Steps 2 & 3
San Francisco, City and County of	Project is for Westside Pump Station and tunnel to convey combined wet weather flows to the ocean outfall. Project is Group II	40,000,000 (Steps 2 & 3)	Elevate to Group I, Priority Class D, for Steps 2 & 3	Elevate to Group I, Priority Class D, for Steps 2 & 3
San Francisco, City and County of	Project for consolidation of wet weather outfalls on north shore. Project is Group II.	50,000,000 (Steps 1, 2, & 3)	Elevate to Group I, Priority Class D, for Steps 1, 2, & 3.	Elevate to Group I, Priority Class D, for Steps 1, 2, & 3.
San Francisco, City and County of	Project is for consolidation of the Channel Basin outfalls. Project is Group II	20,000,000 (Steps 2 & 3)	Elevate to Group I, Priority Class D, for Steps 2 & 3	Elevate to Group I, Priority Class D, for Steps 2 & 3
San Francisco, City and County of	Project is for additions to the North Point Pump Station to handle dry and wet weather flows. Project is Group II	14,000,000 (Steps 2 & 3)	Elevate to Group I, Priority Class D, for Steps 2 & 3	Elevate to Group I, Priority Class D, for Steps 2 & 3

SPECIAL CONSIDERATION REQUESTED BY
REGIONAL BOARD AND/OR STATE BOARD STAFF

REGION 2

<u>Agency</u>	<u>Description/Justification</u>	<u>Est. Cost</u>	<u>Regional Board Request</u>	<u>State Board Staff Comments/Recommendations</u>
San Francisco, City and County of	Project is for consolidation of outfalls in Islais Creek. Project is Group II	7,000,000 (Steps 2 & 3)		Elevate to Group I, Priority Class D, for Steps 2 & 3
San Francisco City and County of	Project is for screens on combined flow outfalls. Project is Group II.	2,000,000 (Steps 2 & 3)		Elevate to Group I, Priority Class D, for Steps 2 & 3
Las Gallinas Valley San. Dist.	Project is for reclamation facilities. Applicant has entered into 30-year contract with Marin Municipal Water District for direct reuse to irrigate landscape. Water reclaimed 5-6 months each year. Project will result in release of existing water supply in water short area for higher order use, thereby alleviating need for development of additional water supplies.	555,000 (Steps 1, 2, & 3)	Elevate from Priority Class H to D for Steps 1, 2, & 3	Elevate from Priority Class H to D for Step 1 only

SPECIAL CONSIDERATION REQUESTED BY
REGIONAL BOARD AND/OR STATE BOARD STAFF

REGION 2

<u>Agency</u>	<u>Description/Justification</u>	<u>Est. Cost</u>	<u>Regional Board Request</u>	<u>State Board Staff Comments/Recommendations</u>
Marin MWD & San. Dist. No. 1 of Marin Co.	Project is for reclamation facilities for Lower Ross Valley. Applicant has identified locations for immediate direct reuse and has contracts for same. Water used 5-6 months per year for landscape irrigation. Project will result in release of existing water supply in a water short area for a higher order use, and alleviate need to develop additional water supplies.	223,000 (Steps 1, 2, & 3)	Elevate from Priority Class H to D for Steps 1, 2, & 3	Elevate from Priority Class H to D for Step 1 only
Pacifica, City of	Infiltration/Inflow study and necessary sewer repairs to eliminate by-passing and overflows of untreated sewage during wet weather. Project is a Group III	2,080,000 (Steps 1, 2, & 3)	Elevate from Group III to Priority Class D for Steps 1, 2, & 3	Deny
N. Marin Co. Water District	Project is for collection, treatment and disposal facilities for Point Reyes Station to eliminate problems caused by septic tank failures which are contributing to the quarantine and restriction on recreational shellfishing and commercial shell-fishing operations in Tomolas Bay	1,325,000 (Steps 1, 2, & 3)	Elevate from Priority Class F to C for Steps 1, 2, & 3	Deny-serious health hazard not documented-no Regional Board prohibition of discharge
Central Contra Costa San. Dist.	Project is for interceptor to eliminate Bollinger Canyon leach line discharge. It eliminates a small treatment facility.	600,000 (Step 3)	Elevate from Priority Class E to C for Step 3	Deny

SPECIAL CONSIDERATION REQUESTED BY
REGIONAL BOARD AND/OR STATE BOARD STAFF

REGION 3

<u>Agency</u>	<u>Description/Justification</u>	<u>Est. Cost</u>	<u>Regional Board Request</u>	<u>State Board Staff Comments/Recommendations</u>
Scotts Valley, City of	Plant Laboratory and sludge handling facilities requested. City received 72-3 grant but eliminated laboratory facilities at that time. New city administration now desires laboratory. This project listed in Class G, 1975-76	86,000	Amend existing grant or issue change order	Deny

REGION 4

Gayucos Sanitary District	Project to replace 30 year old trunk sewer which connects district to City of Morro Bay disposal system. Subject to occasional failures in past, including discharges into coastal streams of untreated wastes, due to overflow and bypassing from pump stations as a result of inadequate pipeline and pumping equipment. Group III project.	350,000	Elevate to a fundable priority class.	Deny
Thousand Oaks, City of	Unit "Y" sewer relocation to Hill Canyon treatment plant. Sewer line above ground and subject to washouts and vandalism, resulting in spillages to Arroyo Conejo Creek in Wildwood Park. Line constructed in 1960. Group III project.	750,000	Elevate to Priority Class D.	Elevate to Priority Class D.
Ventura County FCD, United FCD	Retardation of seawater intrusion. Regional Board considers seawater intrusion serious problem and that there is a need to elevate and develop necessary data.	50,000 (Step 1)	Place in Priority Class D, Step 1 only.	Deny
Ventura Regional CSD, Los Angeles County SD	Project for Sludge/Industrial interceptor and Oxnard Sludge Treatment Facility. There is potential pollution and inland plants do not have adequate solids facilities. Need to evaluate economic feasibility of such facilities and develop necessary parameters.	50,000 (Step 1)	Place in Priority Class D, Step 1 only.	Deny

SPECIAL CONSIDERATION REQUESTED BY
REGIONAL BOARD AND/OR STATE BOARD STAFF

REGION 4 (cont.)

<u>Agency</u>	<u>Description/Justification</u>	<u>Est. Cost</u>	<u>Regional Board Request</u>	<u>State Board Staff Comments/Recommendations</u>
Crescenta Valley County Water District	Project for interceptor and abandonment of three existing plants. Potential health hazard, consolidation, potential violation of WDR. This project listed in Class E, 1975-76, however, may not be Class A interceptor.	2,500,000	Elevate to Priority Class D.	No position pending review of documentation

REGION 5

Sacramento Regional CSD	Stormwater control project, City main plant. Group II project, Step 1 on 74-5 list.	25,000,000	Place in Priority Class D, Steps 2 & 3	Place in Priority Class D, Steps 2 & 3
Oakdale, City of	Project to replace deteriorated twin, inverted siphon interceptors crossing the Stanislaus River to treatment plant. Interceptors approximately 10 years old, asphalt-coated CMP, but have developed leaks, with a rupture occurring in 1973. 1 MGD. Group III project. Has not served long and useful life.	250,000	Place in Priority Class C.	Place in Priority Class D for river crossing only
Riverbank, City of	Project to replace deteriorated twin asphalt-coated interceptors crossing the Stanislaus River to treatment plant. Interceptors approximately 25 years old, trestle mounted, and have developed leaks. 3.4 MGD. This project listed in Class G, 1975-76. However, interceptors are actually trunk sewers, therefore Group III project.	900,000	Elevate to Priority Class C.	Elevate to Priority Class D for river crossing only

SPECIAL CONSIDERATION REQUESTED BY
REGIONAL BOARD AND/OR STATE BOARD STAFF

REGION 5 (cont.)

<u>Agency</u>	<u>Description/Justification</u>	<u>Est. Cost</u>	<u>Regional Board Request</u>	<u>State Board Staff Comments/Recommendations</u>
Pleasant Ridge School District	Project for Pleasant Ridge School. Septic tank and leachfield overloaded. Threatened violation and health hazard. This project is listed in Class H, 1975-76.	35,000	Elevate to Priority Class D.	Elevate to Priority Class D.
El Dorado Irrigation District	Project for Gold Oak School. Effluent from septic tank, leachfield surfacing in school grounds frequently three or four months of the school year. This project is listed in Class H, 1975-76.	100,000	Elevate to Priority Class D.	Elevate to Priority Class D.
Tulare, County of	Collection system for East Porterville. Documented health hazard, discharge prohibition adopted by Regional Board on 3-21-75, but not yet approved by State Board. Area has financial hardship. Group III - not a separate unsewered community.	1,300,000	Place in Priority Class B.	Place in Priority Class B.
Midway Community Services District	Collection system for unsewered area near Dos Patos. Documented health hazard, discharge prohibition adopted by Regional Board on 3-21-75, but not yet approved by State Board. Area has financial hardship. Group III - not a separate unsewered community.	500,000	Place in Priority Class B.	Place in Priority Class B.

SPECIAL CONSIDERATION REQUESTED BY
REGIONAL BOARD AND/OR STATE BOARD STAFF

REGION 7

Callexico, City of
 Project for deteriorated trunk sewers and collector sewers, including crossing of New River. Corrosion caused by hydrogen sulfide and several lines have collapsed. Lines constructed of epoxy-lined asbestos cement pipe and have been installed approximately 10 years. Group III project.

400,000

Place in Priority Class D.

Place in Priority Class D for river crossing only.

REGION 8

Corona, City of
 Project to increase capacity of disposal ponds, which are at or near capacity. Threatened violation of WDR. Corona is on 74-75 list, Class D, Step 1 for areawide facilities plan.

1,000,000

Place Steps 2, 3 in fundable priority class

Deny

Lake Elsinore, City of
 Project to increase capacity of existing raw sewage force main, pump station, and disposal ponds. Threatened failure which could cause severe public nuisance. This project is listed in Class G, 1975-76

145,000

Elevate to a fundable priority class.

Elevate to Priority Class D, Step 1 only

San Bernardino
 Small septic tank communities in San Bernardino and San Gabriel Mountains. Discharge prohibition in effect. These projects listed in Class F, 1975-76. Possible second home area.

60,000 (Step 1)

Elevate to priority Class B, Step 1 only as per Section 2108 (1) of the Regulations

No position, pending review of documentation regarding residency