Caltrans Final TMDL Reach Prioritization Inventory List

Final Ranking (by TMDL Reach)	Final Ranking (Pollutant Category by Reach)	Initial Prioritization (Overall Reach Rank)	Reach Name	Reach #	Regional Board	District	TOTAL MAXIMUM DAILY LOADS (TMDL) Pollutants	TMDL Deadlines	RIGHT-OF-WAY (ROW) Contribution		Proximity to Receiving Water (% of ROW within 0.25 mi of ROW)	Impairment Status		Community Env. Health Impact
									ROW Acres / Watershed Area (%)	ROW acres		Pollutant Category	Percent	
1	1	38	Lindero Canyon	3	4	7	Malibu Creek Watershed (Trash)	7/7/2017	1.06%	46.3	99.6%	D	100	11.61
	2	45					Malibu Creek Watershed (Bacteria)	1/24/2012: Dry-weather; 7/15/2021: Wet-weather				E	86	
	3	120					Malibu Creek and Lagoon (Sedimentation and Nutrients to address Benthic Community Impairments)	1/24/2012: Dry-weather; 7/15/2021: Wet-weather				B	43	
2	4	126	Ventura River	1	4	5 & 7	Ventura River Estuary (Trash)	3/6/2016	0.30%	431.8	26.7%	D	100	19.0
	5	205					Ventura River and its Tributaries (Algae, Eutrophic Conditions, and Nutrients)	6/28/2019				B	58	
3	6	163	Las Virgenes Creek	5	4	7	Malibu Creek Watershed (Trash)	7/7/2017	0.63%	98.4	24.9%	D	100	12.2
	7	179					Malibu Creek Watershed (Bacteria)	1/24/2012: Dry Weather; 7/15/2021: Wet Weather				E	86	
	8	248					Malibu Creek and Lagoon (Sedimentation and Nutrients to address Benthic Community Impairments)	1/24/2012: Dry-weather; 7/15/2021: Wet-weather				B	43	
4	9	62	Ballona Creek	1	4	7	Ballona Creek, Ballona Estuary, and Sepulveda Channel (Bacteria)	1/24/2012: Dry Weather; 7/15/2021: Wet Weather	1.53%	35.1	25.5%	E	100	14.58
	10	64					Ballona Creek Wetlands (Sediment and Invasive Exotic Vegetation)	3/26/2012	1.53%	35.1	24.8%	B	100	14.65
	11	73					Ballona Creek Estuary (Toxic Pollutants Ag, Cd, Cu, Pb, Zn, Chlordane, DDTs, Total PCBs, and Total PAHs)	1/11/2021	1.53%	35.1	24.8%	C	99	14.65
	12	80					Ballona Creek (Metals (Ag, Cd, Cu, Pb, Zn) and Selenium)	1/11/2021	1.53%	35.1	25.5%	C/G	85/4	14.6
	13	100					Ballona Creek (Trash)	9/30/2016	1.59%	68.6	12.7%	D	100	14.65
5	14	28	Echo Park Lake	1	4	7	Part B-Los Angeles Area Echo Park Lake (Nitrogen, Phosphorus, Chlordane, Dieldrin, PCBs, and Trash)	3/26/2012	2.21%	17.7	9.4%	B/C/D	93/93/100	40.99
6	15	37	Santa Anita Wash	2	4	7	Part B, C, D-Los Angeles Area Peck Road Park Lake (Nitrogen, Phosphorus, Chlordane, DDT, Dieldrin, PCBs, and Trash)	3/26/2012	0.37%	55.7	64.9%	B/C/D	92/92/100	26.23
7	16	118	Revolon Slough, Beardsley Wash	1	4	7	Revolon Slough and Beardsley Wash (Trash)	3/6/2016	0.61%	240.8	5.8%	D	100	32.7
8	17	224	Medea Creek	4	4	7	Malibu Creek Watershed (Trash)	7/7/2017	0.29%	32.6	30.9%	D	100	9.4
	18	239					Malibu Creek Watershed (Bacteria)	1/24/2012: Dry Weather; 7/15/2021: Wet Weather				E	86	
	19	309					Malibu Creek and Lagoon (Sedimentation and Nutrients to address Benthic Community Impairments)	1/24/2012: Dry-weather; 7/15/2021: Wet-weather				B	43	

Final Ranking (by TMDL Reach)	Final Ranking (Pollutant Category by Reach)	Initial Prioritization (Overall Reach Rank)	Reach Name	Reach #	Regional Board	District	TOTAL MAXIMUM DAILY LOADS (TMDL) Pollutants	TMDL Deadlines	RIGHT-OF-WAY (ROW) Contribution		Proximity to Receiving Water (% of ROW within 0.25 mi of ROW)	Impairment Status		Community Env. Health Impact
									ROW Acres / Watershed Area (%)	ROW acres		Pollutant Category	Percent	
9	20	190	Malibu Creek, Malibu Lake	1	4	7	Malibu Creek Watershed (Trash)	7/7/2017	0.04%	5.3	96.6%	D	100	11.9
	21	202					Malibu Creek Watershed (Bacteria)	1/24/2012: Dry Weather; 7/15/2021: Wet Weather				E	86	
	22	273					Malibu Creek and Lagoon (Sedimentation and Nutrients to address Benthic Community Impairments)	1/24/2012: Dry-weather; 7/15/2021: Wet-weather				B	43	
10	23	1	Los Angeles River Reach 2 (Carson to Figueroa)	2	4	7	Los Angeles River (Trash)	9/30/2016	3.23%	304.6	62.6%	D	100	52.72
	24	2					Los Angeles River Watershed (Bacteria)	3/23/2037				E	89	
	25	3					Los Angeles River and Tributaries (Metals)	1/11/2024: 100% Dry-weather & 50% wet-weather; 1/1/2028: 100% for Both				C	77	
11	26	231	Sonoma Creek	1	2	4	Sonoma Creek (Sediment)	June 2014 Prioritization Plan, Implement Section III.A.,Section III.B, survey & plan	0.36%	132.1	7.0%	B	89	19.9
12	27	292	Sonoma Creek	2	2	4	Sonoma Creek (Sediment)	June 2014 Prioritization Plan, Implement Section III.A.,Section III.B, survey & plan	0.24%	165.5	13.0%	B	89	12.7
13	28	75	Ballona Creek	2	4	7	Ballona Creek Wetlands (Sediment and Invasive Exotic Vegetation)	3/26/2012	1.36%	1,081.1	5.0%	B	100	27.66
	29	82					Ballona Creek Estuary (Toxic Pollutants Ag, Cd, Cu, Pb, Zn, Chlordane, DDTs, Total PCBs, and Total PAHs)	1/22/2021	1.36%	1,081.1	5.0%	C	99	27.7
	30	84					Ballona Creek (Trash)	9/30/2016	1.36%	1,081.1	5.0%	D	100	27.25
	31	89					Ballona Creek, Ballona Estuary, and Sepulveda Channel (Bacteria)	1/24/2012: Dry Weather; 7/15/2021: Wet Weather	1.19%	766.4	7.2%	E	100	26.31
	32	106					Ballona Creek (Metals (Ag, Cd, Cu, Pb, Zn) and Selenium)	1/11/2021	1.19%	766.4	7.2%	C/G	85/4	26.3
14	33	14	Legg Lake	1	4	7	Legg Lake (Trash)	3/16/2016	3.24%	40.5	13.8%	D	100	55.12
	34	27					Part B-Los Angeles Area North, Center & Legg Lake (Nitrogen, Phosphorus)	3/26/2012				B	57	
15	35	43	Rio Hondo, Peck Road Park Lake	1	4	7	Los Angeles Area Peck Road Park Lake (Nitrogen, Phosphorus, Chlordane, DDT, Dieldrin, PCBs, and Trash)	3/26/2012	1.01%	88.3	15.6%	B/C/D	92/92/100	37.25
16	36	263	Triunfo Canyon	2	4	7	Malibu Creek Watershed (Trash)	7/7/2017	0.39%	97.1	0.0%	D	100	13.8
	37	279					Malibu Creek Watershed (Bacteria)	1/24/2012: Dry Weather; 7/15/2021: Wet Weather				E	86	
	38	325					Malibu Creek and Lagoon (Sedimentation and Nutrients to address Benthic Community Impairments)	1/24/2012: Dry-weather; 7/15/2021: Wet-weather				B	43	

Final Ranking (by TMDL Reach)	Final Ranking (Pollutant Category by Reach)	Initial Prioritization (Overall Reach Rank)	Reach Name	Reach #	Regional Board	District	TOTAL MAXIMUM DAILY LOADS (TMDL) Pollutants	TMDL Deadlines	RIGHT-OF-WAY (ROW) Contribution		Proximity to Receiving Water (% of ROW within 0.25 mi of ROW)	Impairment Status		Community Env. Health Impact
									ROW Acres / Watershed Area (%)	ROW acres		Pollutant Category	Percent	
17	39	38	Machado Lake	1	4	7	Machado Lake (Trash)	3/6/2016	1.73%	255.8	4.6%	D	100	46.98
	40	47					Machado Lake (Pesticides and PCBs)	9/30/2019				C	95	
	41	64					Machado Lake (Eutrophic, Algae, Ammonia, and Odors (Nutrients))	9/11/2018				B	90	
18	42	346	Clear Lake	2	5	1	Clear Lake (Nutrients)	9/21/2017	0.27%	458.2	1.7%	B	42	12.88
19	43	5	Los Angeles River Reach 1	1	4	7	Los Angeles River (Trash)	9/30/2016	1.87%	197.5	**47.9%**	D	100	51.11
	44	7					Los Angeles River Watershed (Bacteria)	3/23/2037				E	92	
	45	11					Los Angeles River and Tributaries (Metals)	1/11/2024: 100% Dry-weather & 50% wet-weather; 1/1/2028: 100% for Both				C	77	
20	46	203	Cache Creek	1	5	1	Clear Lake (Nutrients)	9/21/2017	0.50%	218.0	**58.4%**	B	42	13.3
21	47	10	Los Angeles River Reach 3 & 4	4	4	7	Los Angeles River (Trash)	9/30/2016	2.26%	723.0	**36.3%**	D	100	30.01
	48	13					Los Angeles River Watershed (Bacteria)	3/23/2037				E	72	
	49	20					Los Angeles River and Tributaries (Metals)	1/11/2024: 100% Dry-weather & 50% wet-weather; 1/1/2028: 100% for Both				C	77	
22	50	230	Napa River	2	2	4	Napa River (Sediment)	October 2014 Prioritization Plan, Implement Section III.A.,Section III.B, survey & plan	0.33%	536.2	9.7%	B	71	20.6
23	51	75	Big Bear Creek	1	8	8	Big Bear Lake (Nutrients for Dry Hydrological Conditions)	12/31/2015	0.59%	139.2	**80.0%**	B	47	23.3
24	52	60	Los Angeles River Reach 4, 5 & 6	5	4	7	Los Angeles River (Trash)	9/30/2016	1.23%	901.2	12.1%	D	100	23.81
	53	71					Los Angeles River Watershed (Bacteria)	3/23/2037				E	88	
	54	97					Los Angeles River and Tributaries (Metals)	1/11/2024;100% Dry-weather & 50% Wet-weather; 1/1/2028: 100% Both				C	77	
25	55	16	Los Angeles River Reach 2 (Carson to Figueroa)	3	4	7	Los Angeles River (Trash)	9/30/2016	2.45%	883.0	15.8%	D	100	52.80
	56	17					Los Angeles River Watershed (Bacteria)	3/23/2032				E	89	
	57	23					Los Angeles River and Tributaries (Metals)	9/30/2023: Dry-Weather & 65% Wet -Weather; 9/30/2026: Wet -Weather				C	77	

Final Ranking (by TMDL Reach)	Final Ranking (Pollutant Category by Reach)	Initial Prioritization (Overall Reach Rank)	Reach Name	Reach #	Regional Board	District	TOTAL MAXIMUM DAILY LOADS (TMDL) Pollutants	TMDL Deadlines	RIGHT-OF-WAY (ROW) Contribution		Proximity to Receiving Water (% of ROW within 0.25 mi of ROW)	Impairment Status		Community Env. Health Impact
									ROW Acres / Watershed Area (%)	ROW acres		Pollutant Category	Percent	
26	58	174	Napa River	1	2	4	Napa River (Sediment)	October 2014 Prioritization Plan, Implement Section III.A.,Section III.B, survey & plan	0.85%	518.4	5.3%	B	71	24.8
27	59	103	Rio Hondo Reach 1	7	4	7	Los Angeles River Watershed (Bacteria)	3/23/2037	0.98%	886.3	1.5%	E	83	41.9
	60	91					Los Angeles River (Trash)	9/30/2016				D	100	
	61	130					Los Angeles River and Tributaries (Metals)	1/11/2024;100% Dry-weather & 50% Wet-weather; 1/1/2028: 100% for Both				C	77	
28	62	42	Tujunga Wash	11	4	7	Los Angeles River (Trash)	9/30/2016	1.16%	461.6	10.6%	D	100	33.69
	63	70					Los Angeles River Watershed (Bacteria)	3/23/2037				E	63	
	64	78					Los Angeles River and Tributaries (Metals)	1/11/2024;100% Dry-weather & 50% Wet-weather; 1/1/2028: 100% Both				C	77	
29	65	35	Compton Creek	6	4	7	Los Angeles River (Trash)	9/30/2016	1.37%	385.5	8.5%	D	100	52.38
	66	56					Los Angeles River Watershed (Bacteria)	3/23/2037				E	46	52.4
	67	67					Los Angeles River and Tributaries (Metals)	1/11/2024: 100% Dry-weather & 50% wet-weather; 1/1/2028: 100% for Both				C	77	52.4
30	68	57	Burbank Western Channel	10	4	7	Los Angeles River (Trash)	9/30/2016	0.52%	291.1	17.0%	D	100	33.00
	69	82					Los Angeles River Watershed (Bacteria)	3/23/2037				E	46	
	70	95					Los Angeles River and Tributaries (Metals)	1/11/2024;100% Dry-weather & 50% Wet-weather; 1/1/2028: 100% Both				C	77	
31	71	36	Los Alisos Canyon Creek	10	4	7	Santa Monica Bay (DDTs and PCBs)	3/26/2012	5.94%	56.4	49.8%	C	100	11.25
	72	49					Santa Monica Bay Beaches (Bacteria)	7/15/2006: Summer Dry; 11/ 1/2009: Winter Dry; 7/15/2021: Winter Wet				E	64	
32	73	38	Pacific Ocean Beaches	2	4	7	Santa Monica Bay (DDTs and PCBs)	3/26/2012	3.05%	38.5	50.0%	C	100	11.25
	74	52					Santa Monica Bay Beaches (Bacteria)	7/15/2006: Summer Dry; 11/ 1/2009: Winter Dry; 7/15/2021: Winter Wet				E	64	
33	75	162	Topanga Canyon	11	4	7	Santa Monica Bay (DDTs and PCBs)	3/26/2012	1.23%	154.5	43.7%	C	100	5.1
	76	184					Santa Monica Bay Beaches (Bacteria)	7/15/2006: Summer Dry; 11/ 1/2009: Winter Dry; 7/15/2021: Winter Wet				E	64	

Final Ranking (by TMDL Reach)	Final Ranking (Pollutant Category by Reach)	Initial Prioritization (Overall Reach Rank)	Reach Name	Reach #	Regional Board	District	TOTAL MAXIMUM DAILY LOADS (TMDL) Pollutants	TMDL Deadlines	RIGHT-OF-WAY (ROW) Contribution		Proximity to Receiving Water (% of ROW within 0.25 mi of ROW)	Impairment Status		Community Env. Health Impact
									ROW Acres / Watershed Area (%)	ROW acres		Pollutant Category	Percent	
34	77	92	Pacific Ocean Beaches	1	4	7	Santa Monica Bay (DDTs and PCBs)	3/26/2012	1.26%	562.4	39.9%	C	100	11.25
	78	111					Santa Monica Bay Beaches (Bacteria)	7/15/2006: Summer Dry; 11/ 1/2009: Winter Dry; 7/15/2021: Winter Wet				E	64	
35	79	293	Scotts Creek	4	5	1	Clear Lake (Nutrients)	9/21/2017	0.14%	94.2	31.1%	B	42	15.0
36	80	332	Middle Creek	3	5	1	Clear Lake (Nutrients)	9/21/2017	0.13%	74.2	20.3%	B	42	11.25
37	81	25	Arroyo Seco Reach 1 & 2	8	4	7	Los Angeles River (Trash)	9/30/2016	0.77%	432.8	29.5%	D	100	32.43
	82	33					Los Angeles River Watershed (Bacteria)	3/23/2037				E	69	32.4
	83	41					Los Angeles River and Tributaries (Metals)	9/30/2023: Dry-Weather & 65% Wet-Weather; 9/30/2026: Wet -Weather				C	77	32.4
38	84	59	Verdugo Wash Reach 1 & 2	9	4	7	Los Angeles River (Trash)	9/30/2016	0.64%	415.6	25.7%	D	100	22.02
	85	67					Los Angeles River Watershed (Bacteria)	3/23/2037				E	91	
	86	96					Los Angeles River and Tributaries (Metals)	1/11/2024;100% Dry-weather & 50% Wet-weather; 1/1/2028: 100% Both				C	77	
39	87	185	Bell Creek	13	4	7	Los Angeles River (Trash)	9/30/2016	0.24%	38.3	17.1%	D	100	17.1
	88	193					Los Angeles River Watershed (Bacteria)	3/23/2037				E	92	
	89	220					Los Angeles River and Tributaries (Metals)	1/11/2024;100% Dry-weather & 50% Wet-weather; 1/1/2028: 100% Both				C	77	
40	90	77	Arroyo Calabasas	14	4	7	Los Angeles River (Trash)	9/30/2016	1.14%	87.5	15.2%	D	100	19.20
	91	86					Los Angeles River Watershed (Bacteria)	3/23/2037				E	92	
	92	117					Los Angeles River and Tributaries (Metals)	1/11/2024;100% Dry-weather & 50% Wet-weather; 1/1/2028: 100% Both				C	77	
41	93	176	Lost Cerritos Channel	1	4	7	Los Cerritos (Metals)	3/17/2010	1.15%	204.7	9.1%	C	74	17.4
42	94	115	Aliso Canyon Wash	12	4	7	Los Angeles River (Trash)	9/30/2016	0.63%	83.7	8.9%	D	100	27.31
	95	125					Los Angeles River Watershed (Bacteria)	3/23/2037				E	91	
	96	155					Los Angeles River and Tributaries (Metals)	1/11/2024;100% Dry-weather & 50% Wet-weather; 1/1/2028: 100% Both				C	77	

Final Ranking (by TMDL Reach)	Final Ranking (Pollutant Category by Reach)	Initial Prioritization (Overall Reach Rank)	Reach Name	Reach #	Regional Board	District	TOTAL MAXIMUM DAILY LOADS (TMDL) Pollutants	TMDL Deadlines	RIGHT-OF-WAY (ROW) Contribution		Proximity to Receiving Water (% of ROW within 0.25 mi of ROW)	Impairment Status		Community Env. Health Impact
									ROW Acres / Watershed Area (%)	ROW acres		Pollutant Category	Percent	
43	97	129	Pacific Ocean Beaches	5	4	7	Santa Monica Bay (DDTs and PCBs)	3/26/2012	1.43%	207.0	15.7%	C	100	12.5
	98	151					Santa Monica Bay Beaches (Bacteria)	7/15/2006: Summer Dry; 11/ 1/2009: Winter Dry; 7/15/2021: Winter Wet				E	64	
44	99	180	Pacific Ocean Beaches	8	4	7	Santa Monica Bay (DDTs and PCBs)	3/26/2012	2.39%	104.4	10.0%	C	100	9.4
	100	200					Santa Monica Bay Beaches (Bacteria)	7/15/2006: Summer Dry; 11/ 1/2009: Winter Dry; 7/15/2021: Winter Wet				E	64	
45	101	127	Pacific Ocean Beaches	4	4	7	Santa Monica Bay (DDTs and PCBs)	3/26/2012	2.84%	562.4	12.0%	C	100	11.5
	102	148					Santa Monica Bay Beaches (Bacteria)	7/15/2006: Summer Dry; 11/ 1/2009: Winter Dry; 7/15/2021: Winter Wet				E	64	
46	103	63	Ballona Creek	6	4	7	Santa Monica Bay (DDTs and PCBs)	3/26/2012	2.74%	2,299.2	2.7%	C	100	23.80
	104	84					Santa Monica Bay Beaches (Bacteria)	7/15/2006: Summer Dry; 11/ 1/2009: Winter Dry; 7/15/2021: Winter Wet				E	64	
47	105	249	Pacific Ocean Beaches	7	4	7	Santa Monica Bay (DDTs and PCBs)	3/26/2012	2.11%	57.0	0.0%	C	100	6.2
	106	271					Santa Monica Bay Beaches (Bacteria)	7/15/2006: Summer Dry; 11/ 1/2009: Winter Dry; 7/15/2021: Winter Wet				E	64	
48	107	109	Conn Creek, Sage Creek	3	2	4	Napa River (Sediment)	October 2014 Prioritization Plan, Implement Section III.A.,Section III.B, survey & plan	0.20%	93.6	95.9%	B	71	19.9
49	108	69	Live Oak Wash, Puddingstone Reservoir	1	4	7	Los Angeles Area Puddingstone Reservoir (Nitrogen, Phosphorus, Chlordane, DDT, PCBs, Mercury, Dieldrin)	3/26/2012	1.48%	123.1	18.4%	B/C	54/98.8	23.40
50	109	64	Pacific Ocean Beaches	9	4	7	Santa Monica Bay Nearshore & Offshore (Debris (trash & plastic pellets))	3/20/2020	0.89%	162.6	86.0%	D	100	11.25
	110	267					Santa Monica Bay (DDTs and PCBs)	3/26/2012	0.28%	30.3	0.0%	C	100	16.4
	111	289					Santa Monica Bay Beaches (Bacteria)	7/15/2006: Summer Dry; 11/ 1/2009: Winter Dry; 7/15/2021: Winter Wet	0.28%	30.3	0.0%	E	64	16.43
51	112	302	Pacific Ocean Beaches	13	4	7	Santa Monica Bay Nearshore & Offshore Debris (trash & plastic pellets)	3/20/2020	1.04%	28.3	0.0%	D	100	6.2
52	113	106	Pacific Ocean Beaches	11	4	7	Santa Monica Bay Nearshore & Offshore Debris (trash & plastic pellets)	3/20/2020	0.84%	125.1	46.6%	D	100	11.38
53	114	111	Pacific Ocean Beaches	12	4	7	Santa Monica Bay Nearshore & Offshore Debris (trash & plastic pellets)	3/20/2020	1.08%	98.4	28.0%	D	100	79.0
54	115	168	Topanga Canyon	7	4	7	Santa Monica Bay Nearshore & Offshore Debris (trash & plastic pellets)	3/20/2020	0.62%	77.8	74.5%	D	100	5.2
55	116	168	Pacific Ocean Beaches	14	4	7	Santa Monica Bay Nearshore & Offshore Debris (trash & plastic pellets)	3/20/2020	1.20%	52.4	19.8%	D	100	9.4
56	117	30	Westlake Lake	2	4	7	Santa Monica Bay Nearshore & Offshore Debris (trash & plastic pellets)	3/20/2020	1.08%	39.8	77.7%	D	100	14.78

Final Ranking (by TMDL Reach)	Final Ranking (Pollutant Category by Reach)	Initial Prioritization (Overall Reach Rank)	Reach Name	Reach #	Regional Board	District	TOTAL MAXIMUM DAILY LOADS (TMDL) Pollutants	TMDL Deadlines	RIGHT-OF-WAY (ROW) Contribution		Proximity to Receiving Water (% of ROW within 0.25 mi of ROW)	Impairment Status		Community Env. Health Impact
									ROW Acres / Watershed Area (%)	ROW acres		Pollutant Category	Percent	
57	118	299	Pacific Ocean Beaches	15	4	7	Santa Monica Bay Nearshore & Offshore Debris (trash & plastic pellets)	3/20/2020	0.14%	15.1	0.0%	D	100	16.4
58	119	26	Westlake Lake	1	4	7	Santa Monica Bay Nearshore & Offshore Debris (trash & plastic pellets)	3/20/2020	1.30%	23.2	85.7%	D	100	13.69
59	120	170	Potrero Valley Creek	3	4	7	Santa Monica Bay Nearshore & Offshore Debris (trash & plastic pellets)	3/20/2020	0.27%	34.1	23.6%	D	100	16.8
60	121	61	Marina del Rey Harbor	16	4	7	Santa Monica Bay Nearshore & Offshore Debris (trash & plastic pellets)	3/20/2020	2.09%	33.5	18.1%	D	100	15.15
61	122	186	Palo Comando Canyon	5	4	7	Santa Monica Bay Nearshore & Offshore Debris (trash & plastic pellets)	3/20/2020	0.15%	7.9	91.1%	D	100	10.7
62	123	139	Santa Monica Canyon, Mandeville Canyon	8	4	7	Santa Monica Bay Nearshore & Offshore Debris (trash & plastic pellets)	3/20/2020	0.14%	14.1	100.0%	D	100	12.7
63	124	155	Solstice Canyon Creek	6	4	7	Santa Monica Bay Nearshore & Offshore Debris (trash & plastic pellets)	3/20/2020	0.15%	4.2	100.0%	D	100	11.3
64	125	80	Newport Bay, San Diego Creek	1	8	12	San Diego Creek and Newport Bay, including Rhine Channel (Metals (Cu, Pb, and Zn))	None	2.00%	88.2	56.4%	C	50	12.4
	185	241				12	San Diego Creek and Upper Newport Bay (Cadmium)	None	0.80%	44.1	3.9%	C	50	16.1
	245	49				12	Upper and Lower Newport Bay (Organochlorine Compounds (DDT, Chlordane, & PCBs))	12/31/2020	2.00%	88.2	56.4%	C	93	12.44
65	126	148	San Diego Creek, Serrano Creek	3	8	12	San Diego Creek and Newport Bay, including Rhine Channel (Metals (Cu, Pb, and Zn))	None	1.48%	708.0	10.8%	C	50	17.4
66	127	146	San Diego Creek 1, Serrano Creek	2	8	12	San Diego Creek and Upper Newport Bay (Cadmium)	None	1.48%		10.8%	C	50	17.4
67	128	136	Peters Canyon Channel	3	8	12	San Diego Creek and Upper Newport Bay (Cadmium)	None	1.58%	450.0	10.4%	C	50	18.1
68	129	136	Peters Canyon Wash	4	8	12	San Diego Creek and Newport Bay, including Rhine Channel (Metals (Cu, Pb, and Zn))	None	1.58%	450.0	10.4%	C	50	18.1
69	130	244	San Diego Creek	2	8	12	San Diego Creek and Newport Bay, including Rhine Channel (Metals (Cu, Pb, and Zn))	None	0.80%	44.1	3.9%	C	50	16.0
70	131	99	Cache Creek	6	5	1	Cache Creek, Bear Creek, Sulphur Creek, and Harley Gulch (Mercury)	None	0.50%	218.0	**58.4%**	B	96	13.3
71	132	29	Santa Ana Delhi Channel	4	8	12	San Diego Creek and Upper Newport Bay (Cadmium)	None	1.49%	163.1	**34.8%**	C	50	27.5
72	133	30	Santa Ana Delhi Channel	5	8	12	San Diego Creek and Newport Bay, including Rhine Channel (Metals (Cu, Pb, and Zn))	None	1.49%	163.1	34.8%	C	50	27.5
73	134	293	Cache Creek North Fork	4	5	1	Cache Creek, Bear Creek, Sulphur Creek, and Harley Gulch (Mercury)	None	0.06%	92.6	28.6%	B	96	10.3

Final Ranking (by TMDL Reach)	Final Ranking (Pollutant Category by Reach)	Initial Prioritization (Overall Reach Rank)	Reach Name	Reach #	Regional Board	District	TOTAL MAXIMUM DAILY LOADS (TMDL) Pollutants	TMDL Deadlines	RIGHT-OF-WAY (ROW) Contribution		Proximity to Receiving Water (% of ROW within 0.25 mi of ROW)	Impairment Status		Community Env. Health Impact
									ROW Acres / Watershed Area (%)	ROW acres		Pollutant Category	Percent	
74	135	224	Cache Creek	1	5	1 & 3	Cache Creek, Bear Creek, Sulphur Creek, and Harley Gulch (Mercury)	None	0.22%	412.2	24.1%	B	96	12.9
75	136	130	Sacramento River	2	5	3, 4 & 10	Sacramento - San Joaquin River Delta Estuary (Methyl mercury)	1/1/2030	0.40%	987.1	27.9%	B	63	26.2
76	137	217	San Joaquin River	3	5	3 & 4	Sacramento - San Joaquin River Delta Estuary (Methyl mercury)	1/1/2030	0.32%	734.6	2.6%	B	63	44.0
77	138	152	Conn Creek, Sage Creek	8	2	4	San Francisco Bay (Mercury)	None	0.20%	93.6	95.9%	B	43	19.94
78	139	54	Bear Creek	2	5	3	Cache Creek, Bear Creek, Sulphur Creek, and Harley Gulch (Mercury)	None	0.14%	95.2	75.4%	B	96	28.5
79	140	145	Harley Gulch	3	5	1	Cache Creek, Bear Creek, Sulphur Creek, and Harley Gulch (Mercury)	None	0.58%	23.2	55.4%	B	96	10.5
80	141	4	Chollas Creek	2	9	11	Chollas Creek (Diazinon)	5/20/2014	2.16%	164.2	53.7%	F	90	37.21
	142	6					Chollas Creek (Dissolved Copper, Lead and Zinc)	12/18/2028				C	99	
81	143	142	San Pablo Bay	11	2	4	San Francisco Bay (PCBs)	3/29/2030	1.53%	164.2	41.6%	C	70	9.7
	144	188					San Francisco Bay (Mercury)	None	1.53%	164.2	41.6%	B	43	9.70
82	145	8	Chollas Creek	1	9	11	Chollas Creek (Diazinon)	5/20/2014	2.69%	282.6	36.5%	F	90	36.41
	146	9					Chollas Creek (Dissolved Copper, Lead and Zinc)	12/18/2028				C	99	
83	147	51	San Gabriel River	1	4	7 & 12	San Gabriel River (Metals (Cu, Pb, Zn) and Selenium)	9/30/2023: Dry-Weather & 65% Wet -Weather; 9/30/2026: Wet -Weather	3.02%	184.7	33.0%	C/G	77/14	12.9
84	148	207	Scotts Creek	9	5	1	Cache Creek, Bear Creek, Sulphur Creek, and Harley Gulch (Mercury)	None	0.14%	94.2	31.1%	B	96	15.0
85	149	207	San Francisco Bay	12	2	4	San Francisco Bay (Mercury)	None	0.71%	656.1	30.4%	B	43	14.37
	252	159					San Francisco Bay (PCBs)	3/29/2030	0.71%	656.1	30.4%	C	70	14.4
86	150	14	Dominquez Channel	2	4	7	Dominguez Channel & Greater Los Angeles & Long Beach Harbor Waters (Metals (Cu, Pb, Zn), DDT, PAHs, and PCBs)	3/23/2032	2.20%	483.3	**29.3%**	C	88	51.96
87	151	102	Conejo Creek, Arroyo Conejo	6	4	7	Calleguas Creeks, its Tributaries and Mugu Lagoon (Organochlorine Pesticides, PCBs, and Siltation)	3/24/2026	0.67%	335.0	28.6%	B/C	99/99	15.4
	152	113					Calleguas Creeks, its Tributaries and Mugu Lagoon (Metals and Selenium)	3/26/2022				C/G	84/89	

Final Ranking (by TMDL Reach)	Final Ranking (Pollutant Category by Reach)	Initial Prioritization (Overall Reach Rank)	Reach Name	Reach #	Regional Board	District	TOTAL MAXIMUM DAILY LOADS (TMDL) Pollutants	TMDL Deadlines	RIGHT-OF-WAY (ROW) Contribution		Proximity to Receiving Water (% of ROW within 0.25 mi of ROW)	Impairment Status		Community Env. Health Impact
									ROW Acres / Watershed Area (%)	ROW acres		Pollutant Category	Percent	
88	153	132	Calleguas Creek, Arroyo Las Posas	4	4	7	Calleguas Creeks, its Tributaries and Mugu Lagoon (Organochlorine Pesticides, PCBs, and Siltation)	3/24/2026	0.49%	142.9	28.4%	B/C	99/99	15.2
	154	144					Calleguas Creeks, its Tributaries and Mugu Lagoon (Metals and Selenium)	3/26/2022				C/G	84/89	
89	155	18	San Gabriel River	2	4	7	San Gabriel River (Metals (Cu, Pb, Zn) and Selenium)	9/30/2023: 100% Dry-Weather & 65% Wet -Weather; 9/30/2026: 100% Wet -Weather	2.96%	256.4	25.7%	C	77	29.96
90	156	24	San Gabriel River	3	4	7	San Gabriel River (Metals (Cu, Pb, Zn) and Selenium)	9/30/2023: 100% Dry-Weather & 65% Wet -Weather; 9/30/2026: 100% Wet -Weather	1.44%	1,318.7	24.0%	C /G	77/14	45.50
91	157	128	San Gabriel River	4	4	7 and 12	San Gabriel River (Metals (Cu, Pb, Zn) and Selenium)	9/30/2023: Dry-Weather & 65% Wet -Weather; 9/30/2026: Wet -Weather	0.24%	366.1	22.5%	C/G	77/14	29.6
92	158	153	Arroyo Simi	5	4	7	Calleguas Creeks, its Tributaries and Mugu Lagoon (Organochlorine Pesticides, PCBs, and Siltation)	3/24/2026	0.38%	297.6	20.3%	B/C	99/99	16.2
	159	165					Calleguas Creeks, its Tributaries and Mugu Lagoon (Metals and Selenium)	3/26/2022				C/G	84/89	
93	160	285	Middle Creek	8	5	1	Cache Creek, Bear Creek, Sulphur Creek, and Harley Gulch (Mercury)	None	0.13%	74.2	20.3%	B	96	11.3
94	161	224	Alameda Creek	2	2	4	San Francisco Bay Urban Creeks (Diazinon and Pesticide Toxicity)	None	0.20%	491.8	19.7%	C/F	93/65	14.9
	162	258					San Francisco Bay (PCBs)	3/29/2030				C	70	
	163	303					San Francisco Bay (Mercury)	None				B	43	
95	164	88	Marina del Rey Harbor	1	4	7	Marina del Rey Harbor (Toxic Pollutants (Cu, Pb, Zn, Chlordane and Total PCBs))	3/22/2021	1.78%	33.5	16.7%	C	96	15.1
	165	89			4		Marina del Rey Harbor, Mothers' Beach, and Back Basins (Bacteria)	7/2/2013				E	75	
96	166	140	Coyote Creek	1	2	4	San Francisco Bay Urban Creeks (Diazinon and Pesticide Toxicity)	None	0.77%	3,794.9	5.8%	C/F	93/65	24.4
	167	198					San Francisco Bay (Mercury)	None	0.48%	1,274.3	16.5%	B	43	24.63
97	168	191	San Lorenzo Creek	4	2	4	San Francisco Bay (Mercury)	None	0.74%	754.8	15.6%	B	43	20.64
98	169	30	Los Angeles & Long Beach Harbor	1	4	7	Dominguez Channel & Greater Los Angeles & Long Beach Harbor Waters (Metals (Cu, Pb, Zn), DDT, PAHs, and PCBs)	3/23/2032	1.70%	476.3	13.8%	C	88	40.03

Final Ranking (by TMDL Reach)	Final Ranking (Pollutant Category by Reach)	Initial Prioritization (Overall Reach Rank)	Reach Name	Reach #	Regional Board	District	TOTAL MAXIMUM DAILY LOADS (TMDL) Pollutants	TMDL Deadlines	RIGHT-OF-WAY (ROW) Contribution		Proximity to Receiving Water (% of ROW within 0.25 mi of ROW)	Impairment Status		Community Env. Health Impact
									ROW Acres / Watershed Area (%)	ROW acres		Pollutant Category	Percent	
99	170	251	Petaluma River	10	2	4	San Francisco Bay (Mercury)	None	0.31%	556.8	12.3%	B	43	20.25
	256	214	Petaluma River				San Francisco Bay (PCBs)	3/29/2030	0.31%	556.8	12.3%	C	70	20.2
100	171	211	Arroyo Mocho	13	2	4	San Francisco Bay (PCBs)	3/29/2030	0.46%	807.3	11.9%	C	70	17.8
	172	249					San Francisco Bay (Mercury)	None				B	43	
101	173	55	San Jose Creek	5	4	7	San Gabriel River (Metals (Cu, Pb, Zn) and Selenium)	9/30/2023: 100% Dry-Weather & 65% Wet -Weather; 9/30/2026: 100% Wet -Weather	1.22%	682.4	11.3%	C/G	77/14	34.1
102	174	119	Revolon Slough, Beardsley Wash	3	4	7	Calleguas Creeks, its Tributaries and Mugu Lagoon (Organochlorine Pesticides, PCBs, and Siltation)	3/24/2026	0.51%	141.4	10.4%	B/C	99/99	27.3
	175	132					Calleguas Creeks, its Tributaries and Mugu Lagoon (Metals and Selenium)	3/24/2022				C/G	84/89	
103	176	307	Sonoma Creek, Calabazas Creek	9	2	4	San Francisco Bay (Mercury)	None	0.28%	297.6	10.3%	B	43	16.73
104	177	113	Calleguas Creek	2	4	7	Calleguas Creeks, its Tributaries and Mugu Lagoon (Organochlorine Pesticides, PCBs, and Siltation)	3/24/2026	1.09%	141.4	6.0%	B/C	99/99	24.1
	178	132					Calleguas Creeks, its Tributaries and Mugu Lagoon (Metals and Selenium)	3/24/2022	0.68%	88.2	9.6%	C/G	84/89	
105	179	277	Napa River	7	2	4	San Francisco Bay (Mercury)	None	0.33%	499.1	9.1%	B	43	20.57
106	180	47	Dominquez Channel	3	4	7	Dominguez Channel & Greater Los Angeles & Long Beach Harbor Waters (Metals (Cu, Pb, Zn), DDT, PAHs, and PCBs)	3/23/2032	1.76%	463.2	8.2%	C	88	43.6
107	181	98	Calleguas Creek and Estuary	1	4	7	Calleguas Creeks, its Tributaries and Mugu Lagoon (Organochlorine Pesticides, PCBs, and Siltation)	3/24/2026	0.64%	146.6	7.8%	B/C	99/99	39.4
	182	110					Calleguas Creeks, its Tributaries and Mugu Lagoon (Metals and Selenium)	3/26/2022				C/G	84/89	
108	183	94	Coyote Creek	6	4	7 and 12	San Gabriel River (Metals (Cu, Pb, Zn) and Selenium)	9/30/2023: 100% Dry-Weather & 65% Wet -Weather; 9/30/2026: 100% Wet -Weather	1.24%	1,199.7	7.7%	C/G	77/14	27.5
109	184	215	Napa River	6	2	4	San Francisco Bay (Mercury)	None	0.80%	555.4	6.3%	B	43	24.81
110	186	231	Klamath River	21	1	1 & 2	Klamath River in California (Temperature, Dissolved Oxygen, Nutrient, and Microcystin)	None	0.07%	978.6	95.0%	B/H	92/83	8.2

Final Ranking (by TMDL Reach)	Final Ranking (Pollutant Category by Reach)	Initial Prioritization (Overall Reach Rank)	Reach Name	Reach #	Regional Board	District	TOTAL MAXIMUM DAILY LOADS (TMDL) Pollutants	TMDL Deadlines	RIGHT-OF-WAY (ROW) Contribution		Proximity to Receiving Water (% of ROW within 0.25 mi of ROW)	Impairment Status		Community Env. Health Impact
									ROW Acres / Watershed Area (%)	ROW acres		Pollutant Category	Percent	
111	187	266	Eel River South Fork	2	1	1	South Fork Eel River (Temperature and Sediment)	None	0.26%	609.9	78.9%	B/H	33/8	7.2
112	188	308	Eel River South Fork	3	1	1	South Fork Eel River (Temperature and Sediment)	None	0.14%	91.0	48.9%	B/H	33/8	9.3
113	189	314	Scott River East Fork	4	1	2	Scott River (Sediment and Temperature)	2028 determine adequacy of MS4 Permit	0.09%	68.8	36.8%	B/H	63/100	6.74
114	190	275	Little Grass Valley Creek	5	1	2	Trinity River (Sediment)	None	0.30%	71.1	95.4%	B	52	4.6
115	191	317	Trinity River	3	1	2	Trinity River (Sediment)	None	0.09%	389.1	85.4%	B	52	5.62
116	192	174	Outlet Creek	2	1	1	Upper Main Eel River and Tributaries including Tomki Creek, Outlet Creek, and Lake Pillsbury (Temperature and Sediment)	None	0.33%	287.7	65.4%	B/H	49/21	12.7
117	193	196	Rattlesnake Creek	4	1	1	South Fork Eel River (Temperature and Sediment)	None	0.41%	101.8	99.2%	B/H	33/8	9.5
118	194	222	Rancheria Creek	6	1	1	Navarro River (Sediment and Temperature)	None	0.22%	52.6	92.7%	B/H	62/79	8.8
119	195	87	Yreka Creek	2	1	2	Shasta River (Dissolved Oxygen and Temperature)	None	0.63%	205.6	74.5%	B/H	50/90	15.4
120	196	234	Willow Creek	2	1	1	Trinity River (Sediment)	None	0.29%	81.2	99.2%	B	52	7.5
121	197	181	Anderson Creek, Soda Creek	4	1	1	Navarro River (Sediment and Temperature)	None	0.42%	122.9	60.5%	B/H	62/79	11.3
122	198	323	Bone Gulch, Rattlesnake Creek	4	1	2	South Fork Trinity River and Hayfork Creek (Sediment)	None	0.21%	62.9	62.9%	B	30	6.50
123	199	140	Long Valley Creek	3	1	1	Upper Main Eel River and Tributaries including Tomki Creek, Outlet Creek, and Lake Pillsbury (Temperature and Sediment)	None	0.51%	87.8	93.8%	B/H	49/21	12.0
124	200	53	Klamath River	22	1	2	Klamath River in California (Temperature, Dissolved Oxygen, Nutrient, and Microcystin)	None	0.78%	88.7	85.5%	B/H	92/83	13.0
125	201	243	Eel River South Fork	1	1	1	South Fork Eel River (Temperature and Sediment)	None	0.34%	272.4	88.8%	B/H	33/8	6.6
126	202	316	Van Duzen River	2	1	1	Van Duzen River and Yager Creek (Sediment)	None	0.20%	122.4	60.3%	B	37	7.72
127	203	216	Navarro River	1	1	1	Navarro River (Sediment and Temperature)	None	0.39%	156.3	59.2%	B/H	62/79	8.4
128	204	237	Van Duzen River	1	1	1	Van Duzen River and Yager Creek (Sediment)	None	0.38%	122.1	58.1%	B	37	12.2
129	205	284	Tenmile Creek	5	1	1	South Fork Eel River (Temperature and Sediment)	None	0.22%	93.4	47.8%	B/H	33/8	9.8
130	206	310	Mad River	5	1	1 & 2	Mad River (Sediment and Turbidity)	None	0.13%	67.2	33.5%	B	89	7.9
131	207	333	Eel River Middle Fork	1	1	1	Middle Fork Eel River (Temperature and Sediment)	None	0.06%	66.2	33.0%	B/H	0/9	7.14

Final Ranking (by TMDL Reach)	Final Ranking (Pollutant Category by Reach)	Initial Prioritization (Overall Reach Rank)	Reach Name	Reach #	Regional Board	District	TOTAL MAXIMUM DAILY LOADS (TMDL) Pollutants	TMDL Deadlines	RIGHT-OF-WAY (ROW) Contribution		Proximity to Receiving Water (% of ROW within 0.25 mi of ROW)	Impairment Status		Community Env. Health Impact
									ROW Acres / Watershed Area (%)	ROW acres		Pollutant Category	Percent	
132	208	352	Redwood Creek	2	1	1	Redwood Creek (Sediment)	None	0.14%	61.4	15.8%	B	60	5.57
133	209	197	Eel River	1	1	1	Upper Main Eel River and Tributaries, including Tomei Cu, Outlet Cu, and Lake Pillsbury (Temperature and Sediment)	None	0.45%	53.0	100.0%	B/H	49/21	6.50
134	210	354	Scott River	2	1	2	Scott River (Sediment and Temperature)	None	0.11%	264.2	8.7%	B/H	63/100	5.63
135	211	353	Trinity River South Fork	2	1	2	South Fork Trinity River and Hayfork Creek (Sediment)	None	0.07%	63.4	38.6%	B	30	5.43
136	212	362	Little Van Duzen River	3	1	1 & 2	Van Duzen River and Yager Creek (Sediment)	None	0.14%	50.9	15.8%	B	37	4.66
137	213	246	South Branch North Fork Navarro River	2	1	1	Navarro River (Sediment and Temperature)	None	0.12%	55.1	74.7%	B/H	62/79	11.1
138	214	313	Mad River North Fork	2	1	1	Mad River (Sediment and Turbidity)	None	0.28%	86.3	29.1%	B	89	5.4
139	215	276	Shasta River	1	1	2	Shasta River (Dissolved Oxygen and Temperature)	None	0.15%	603.0	15.0%	B/H	50/90	15.81
140	216	290	Shasta River	3	1	2	Shasta River (Dissolved Oxygen and Temperature)	None	0.20%	153.1	8.4%	B/H	50/90	17.23
141	217	163	Big River North Fork	2	1	1	Big River (Sediment)	None	0.29%	80.7	73.5%	B	75	13.5
142	218	340	Hay Fork Creek, Summit Creek	5	1	2	South Fork Trinity River and Hayfork Creek (Sediment)	None	0.07%	138.0	57.4%	B	30	5.99
143	219	261	Rancheria Creek	5	1	1	Navarro River (Sediment and Temperature)	None	0.05%	18.5	86.8%	B/H	62/79	9.4
144	220	201	Eel River	1	1	1	Lower Eel River (Temperature and Sediment)	None	0.40%	532.8	31.5%	B/H	77/17	12.7
145	221	359	Mill Creek, Cold Creek	3	1	1	Middle Fork Eel River (Temperature and Sediment)	None	0.13%	83.4	5.1%	B/H	0/9	8.71
146	222	167	Mad River	1	1	1	Mad River (Sediment and Turbidity)	None	0.45%	165.1	37.6%	B	89	14.0
147	223	259	Cottonwood Creek, Hutton Creek, Miller Gulch	23	1	2	Klamath River in California (Temperature, Dissolved Oxygen, Nutrient, and Microcystin)	None	0.26%	106.3	24.0%	B/H	92/83	10.3
148	224	280	Van Duzen River	4	1	1 & 2	Van Duzen River and Yager Creek (Sediment)	None	0.43%	70.9	78.4%	B	37	5.6
149	225	324	Salt Creek	6	1	2	South Fork Trinity River and Hayfork Creek (Sediment)	None	0.28%	147.4	50.3%	B	30	6.50
150	226	357	Trinity River	4	1	2	Trinity River (Sediment)	None	0.17%	303.4	11.3%	B	52	4.80
151	227	203	Klamath River	1	1	1	Klamath River in California (Temperature, Dissolved Oxygen, Nutrient, and Microcystin)	None	0.11%	338.5	54.6%	B/H	92/83	13.3
152	228	224	Noyo River South Fork	2	1	1	Noyo River (Sediment)	None	0.20%	35.6	20.0%	B	91	16.1

Final Ranking (by TMDL Reach)	Final Ranking (Pollutant Category by Reach)	Initial Prioritization (Overall Reach Rank)	Reach Name	Reach #	Regional Board	District	TOTAL MAXIMUM DAILY LOADS (TMDL) Pollutants	TMDL Deadlines	RIGHT-OF-WAY (ROW) Contribution		Proximity to Receiving Water (% of ROW within 0.25 mi of ROW)	Impairment Status		Community Env. Health Impact
									ROW Acres / Watershed Area (%)	ROW acres		Pollutant Category	Percent	
153	229	286	Trinity River	1	1	1 & 2	Trinity River (Sediment)	none	0.11%	234.1	83.2%	B	52	8.8
154	230	182	Carbonera Creek	2	3	5	San Lorenzo River (includes Carbonera, Lompico, and Shingle Mill Creeks) (Sediment)	None	0.86%	106.0	97.9%	B	27	11.2
155	231	264	Boulder Creek	5	3	5	San Lorenzo River (includes Carbonera, Lompico, and Shingle Mill Creeks) (Sediment)	None	0.98%	72.2	72.3%	B	27	3.3
156	232	321	Middle Martis Creek	3	6	3	Truckee River (Sediment)	None	0.22%	59.2	65.1%	B	20	6.81
157	233	334	Little Truckee River	2	6	3	Truckee River (Sediment)	None	0.06%	61.8	62.3%	B	20	6.81
158	234	311	Lake Tahoe	1	6	3	Lake Tahoe (Sediment and Nutrients)	8/16/2076	0.21%	358.0	60.1%	B	65	4.55
159	235	314	San Lorenzo River	3	3	5	San Lorenzo River (includes Carbonera, Lompico, and Shingle Mill Creeks) (Sediment)	None	0.35%	181.9	53.9%	B	27	6.13
160	236	317	Truckee River	1	6	3	Truckee River (Sediment)	None	0.47%	583.8	52.4%	B	20	5.15
161	237	304	San Lorenzo River	4	3	5	San Lorenzo River (includes Carbonera, Lompico, and Shingle Mill Creeks) (Sediment)	None	0.78%	117.9	49.5%	B	27	3.23
162	238	236	Carbonera Creek	1	3	5	San Lorenzo River (includes Carbonera, Lompico, and Shingle Mill Creeks) (Sediment)	None	0.99%	68.1	27.4%	B	27	12.6
163	239	155	Chorro Creek	2	3	5	Morro Bay (includes Chorro Creek, Los Osos Creek, and the Morro Bay Estuary) (Sediment)	2054	0.42%	118.4	47.5%	B	50	17.2
164	240	270	Upper Truckee River	2	6	3 & 10	Lake Tahoe (Sediment and Nutrients)	8/16/2076	0.29%	180.3	39.6%	B	65	9.5
165	241	360	Morro Bay	1	3	5	Morro Bay (includes Chorro Creek, Los Osos Creek, and the Morro Bay Estuary) (Sediment)	8/15/2035	0.05%	3.1	0.0%	B	50	11.73
166	242	116	San Diego Creek, Serrano Creek	1	8	12	San Diego Creek Watershed (Organochlorine Compounds (DDT, Chlordane, PCBs, and Toxaphene))	12/31/2020	1.48%	708.0	10.8%	C	86	17.4
167	243	22	Santa Ana Delhi Channel	3	8	12	Upper and Lower Newport Bay (Organochlorine Compounds (DDT, Chlordane, & PCBs))	12/31/2020	1.49%	163.1	34.8%	C	93	27.49
168	244	105	Peters Canyon Wash	2	8	12	San Diego Creek Watershed (Organochlorine Compounds (DDT, Chlordane, PCBs, and Toxaphene))	12/31/2020	1.58%	450.0	10.4%	C	86	18.1
169	246	21	Rainbow Creek	1	9	8 & 11	Part B-Rainbow Creek (Total Nitrogen and Total Phosphorus)	12/31/2021	1.23%	90.7	88.0%	B	85	22.80
170	247	286	San Jacinto River South Fork	3	8	8	Lake Elsinore and Canyon Lake (Nutrients)	12/31/2020	0.25%	384.7	21.0%	B	87	11.3
171	248	218	San Jacinto River	1	8	8 & 12	Lake Elsinore and Canyon Lake (Nutrients)	12/31/2020	0.33%	166.3	9.2%	B	87	22.0

Final Ranking (by TMDL Reach)	Final Ranking (Pollutant Category by Reach)	Initial Prioritization (Overall Reach Rank)	Reach Name	Reach #	Regional Board	District	TOTAL MAXIMUM DAILY LOADS (TMDL) Pollutants	TMDL Deadlines	RIGHT-OF-WAY (ROW) Contribution		Proximity to Receiving Water (% of ROW within 0.25 mi of ROW)	Impairment Status		Community Env. Health Impact
									ROW Acres / Watershed Area (%)	ROW acres		Pollutant Category	Percent	
172	249	211	San Jacinto River	2	8	8	Lake Elsinore and Canyon Lake (Nutrients)	12/31/2020	0.35%	989.7	2.2%	B	87	32.1
173	250	210	San Diego Creek	2	8	12	Upper and Lower Newport Bay (Organochlorine Compounds (DDT, Chlordane, & PCBs))	12/21/2020	0.80%	44.1	3.9%	C	93	16.0
174	251	104	Conn Creek, Sage Creek	8	2	4	San Francisco Bay (PCBs)	3/29/2030	0.20%	93.6	95.9%	C	70	19.9
175	253	150	San Ramon Creek, Walnut Creek	1	2	4	San Francisco Bay (PCBs)	3/29/2030	0.48%	1,274.3	16.5%	C	70	24.6
176	254	121	Arroyo Mocho	14	2	4	San Francisco Bay (PCBs)	None	1.03%	1,121.6	15.6%	C	70	21.17
177	255	143	San Francisco Bay	4	2	4	San Francisco Bay (PCBs)	3/29/2030	0.74%	754.8	15.6%	C	70	20.6
178	257	267	Sonoma Creek, Calabazas Creek	9	2	4	San Francisco Bay (PCBs)	3/29/2030	0.28%	297.6	10.3%	C	70	16.7
179	258	233	Napa River	7	2	4	San Francisco Bay (PCBs)	3/29/2030	0.33%	499.1	9.1%	C	70	20.6
180	259	173	Napa River	6	2	4	San Francisco Bay (PCBs)	3/29/2030	0.80%	555.4	6.3%	C	70	24.8
181	263	257	Pacific Ocean Beaches	3	4	7	Santa Monica Bay (DDTs and PCBs)	3/26/2012	0.80%	559.7	0.8%	C	100	11.3
	264	282					Santa Monica Bay Beaches (Bacteria)	7/15/2006: Summer Dry; 11/ 1/2009: Winter Dry; 7/15/2021: Winter Wet				E	64	
182	265	329	Potrero Valley	1	4	7	Los Angeles Area Lake Sherwood (Mercury)	3/26/2012	0.10%	4.2	0.0%	B	70	15.50
183	266	34	Carmel Valley, Deer Canyon	7	9	11	Project I - Revised Twenty Beaches and Creeks in the San Diego Region (including Tecolote Creek) (Indicator Bacteria)	See Project 1 Note on page 21	1.42%	173.0	72.5%	E	19	14.9
184	267	46	Soledad Canyon	9	9	11	Project I - Revised Twenty Beaches and Creeks in the San Diego Region (including Tecolote Creek) (Indicator Bacteria)	See Project 1 Note on page 21	1.03%	115.5	34.8%	E	19	20.8
185	268	79	San Marcos	13	9	11	Project I - Revised Twenty Beaches and Creeks in the San Diego Region (including Tecolote Creek) (Indicator Bacteria)	See Project 1 Note on page 21	0.70%	6.4	67.3%	E	19	13.9
186	269	182	San Diego River, Murphy Canyon	10	9	11	Project I - Revised Twenty Beaches and Creeks in the San Diego Region (including Tecolote Creek) (Indicator Bacteria)	See Project 1 Note on page 21	0.58%	1,663.2	19.3%	E	19	14.9
187	270	146	Santa Clara River	4	4	7	Santa Clara River Estuary & Reaches 3,5,6,7 (Coliform)	3/21/2012	0.60%	343.1	13.1%	E	100	16.90
188	277	306	Cache Creek	7	5	1	Cache Creek, Bear Creek, Sulphur Creek, and Harley Gulch (Mercury)	None	0.27%	458.2	1.7%	B	96	12.9
189	278	272	Suisun Bay	5	2	4	San Francisco Bay (Mercury)	None	0.34%	1,317.8	1.9%	B	43	26.99

Final Ranking (by TMDL Reach)	Final Ranking (Pollutant Category by Reach)	Initial Prioritization (Overall Reach Rank)	Reach Name	Reach #	Regional Board	District	TOTAL MAXIMUM DAILY LOADS (TMDL) Pollutants	TMDL Deadlines	RIGHT-OF-WAY (ROW) Contribution		Proximity to Receiving Water (% of ROW within 0.25 mi of ROW)	Impairment Status		Community Env. Health Impact
									ROW Acres / Watershed Area (%)	ROW acres		Pollutant Category	Percent	
190	279	273	Colorado Lagoon	1	4	7	Colorado Lagoon (Organochlorine Pesticides, PCBs, Sediment Toxicity, PAHs and Metals (Pb &Zn))	7/28/2018	1.18%	13.0	0.0%	C	91	10.7
191	280	252	San Joaquin River	1	5	3, 4 & 10	Sacramento - San Joaquin River Delta Estuary (Methyl mercury)	1/1/2030	0.28%	736.0	0.6%	B	63	29.0
192	281	245	San Francisco Bay	3	2	4	San Francisco Bay (Mercury)	None	1.06%	6,006.4	0.8%	B	43	19.26
193	282	229	Suisun Bay	5	2	4	San Francisco Bay (PCBs)	3/29/2030	0.34%	1,317.8	1.9%	C	70	27.0
194	283	209	San Ramon Creek, Arroyo de Laguna, Alameda Creek	3	2	4	San Francisco Bay (PCBs)	3/29/2030	1.06%	6,006.4	0.8%	C	70	19.3
195	284	74	Sepulveda Canyon	3	4	7	Ballona Creek, Ballona Estuary, and Sepulveda Channel (Bacteria)	1/24/2012: Dry Weather; 7/15/2021: Wet Weather	2.10%	314.7	0.0%	E	100	26.53
	285	93					Ballona Creek (Metals (Ag, Cd, Cu, Pb, Zn) and Selenium)	1/11/2021				C/G	85/4	
196	286	58	San Juan Creek, Morrell Canyon	3	9	8 & 12	Project I - Revised Twenty Beaches and Creeks in the San Diego Region (including Tecolote Creek) (Indicator Bacteria)	See Project 1 Note on page 21	0.52%	501.4	40.9%	E	19	25.9
197	287	72	Oso Creek	2	9	8 & 12	Project I - Revised Twenty Beaches and Creeks in the San Diego Region (including Tecolote Creek) (Indicator Bacteria)	See Project 1 Note on page 21	0.79%	275.8	58.3%	E	19	15.3
198	288	176	Whitewater River	1	7	8 & 11	Coachella Valley Storm Water Channel (Bacterial Indicators)	7/15/2021	0.25%	1,332.4	13.1%	E	19	32.7
199	289	12	Los Angeles River	2	4	7	Long Beach City Beaches and Los Angeles River Estuary (Indicator Bacteria)	3/26/2012	2.01%	101.6	31.3%	E	81	50.00
200	291	101	Laguna Canyon	1	9	12	Project I - Revised Twenty Beaches and Creeks in the San Diego Region (including Tecolote Creek) (Indicator Bacteria)	See Project 1 Note on page 21	1.75%	179.2	42.1%	E	19	10.7
201	292	135	San Luis Rey River	4	9	8 & 11	Project I - Revised Twenty Beaches and Creeks in the San Diego Region (including Tecolote Creek) (Indicator Bacteria)	See Project 1 Note on page 21	0.37%	707.2	25.1%	E	19	21.5
202	293	154	Los Peñasquitos Canyon	8	9	11	Project I - Revised Twenty Beaches and Creeks in the San Diego Region (including Tecolote Creek) (Indicator Bacteria)	See Project 1 Note on page 21	0.67%	247.4	16.8%	E	19	16.2
203	294	189	Aliso Creek	12	9	12	Project I - Revised Twenty Beaches and Creeks in the San Diego Region (including Tecolote Creek) (Indicator Bacteria)	See Project 1 Note on page 21	0.66%	139.6	24.2%	E	19	12.5
204	295	192	San Dieguito River, Santa Ysabel Creek, Clevenger Canyon	6	9	11	Project I - Revised Twenty Beaches and Creeks in the San Diego Region (including Tecolote Creek) (Indicator Bacteria)	See Project 1 Note on page 21	0.30%	658.5	15.7%	E	19	19.9
205	296	19	Chollas Creek	11	9	11	Project I - Revised Twenty Beaches and Creeks in the San Diego Region (including Tecolote Creek) (Indicator Bacteria)	See Project 1 Note on page 21	2.47%	448.3	27.0%	E	19	35.7
206	297	194	San Pedro Creek	1	2	4	San Pedro & Pacifica State Beach (Bacteria)	8/1/2021: Pacifica; 8/1/2028: San Pedro	0.32%	16.8	63.3%	E	100	7.4
207	299	199	San Luis Rey River, Carrista Creek	5	9	11	Project I - Revised Twenty Beaches and Creeks in the San Diego Region (including Tecolote Creek) (Indicator Bacteria)	See Project 1 Note on page 21	0.17%	277.9	41.3%	E	19	15.7

Final Ranking (by TMDL Reach)	Final Ranking (Pollutant Category by Reach)	Initial Prioritization (Overall Reach Rank)	Reach Name	Reach #	Regional Board	District	TOTAL MAXIMUM DAILY LOADS (TMDL) Pollutants	TMDL Deadlines	RIGHT-OF-WAY (ROW) Contribution		Proximity to Receiving Water (% of ROW within 0.25 mi of ROW)	Impairment Status		Community Env. Health Impact
									ROW Acres / Watershed Area (%)	ROW acres		Pollutant Category	Percent	
208	301	305	Sleepy Hollow Creek, Corte Madera Creek	7	2	4	San Francisco Bay Urban Creeks (Diazinon and Pesticide Toxicity)	None	0.52%	154.8	10.1%	C/F	93/65	5.7
209	302	186	San Lorenzo Creek, San Cantino Creek, Walnut Creek	3	2	4	San Francisco Bay Urban Creeks (Diazinon and Pesticide Toxicity)	None	0.51%	1,077.2	19.7%	C/F	93/65	13.0
210	303	278	Novato Creek	6	2	4	San Francisco Bay Urban Creeks (Diazinon and Pesticide Toxicity)	None	0.39%	249.9	7.0%	C/F	93/65	12.3
211	304	170	Novato Creek	8	2	4	San Francisco Bay Urban Creeks (Diazinon and Pesticide Toxicity)	None	0.46%	807.3	11.9%	C/F	93/65	17.8
212	305	206	Ledgewood Creek	4	2	4	San Francisco Bay Urban Creeks (Diazinon and Pesticide Toxicity)	None	0.32%	325.6	7.4%	C/F	93/65	21.6
213	306	122	Petaluma River	5	2	4	San Francisco Bay Urban Creeks (Diazinon and Pesticide Toxicity)	None	0.38%	291.6	23.5%	C/F	93/65	20.0
214	307	106	San Francisco Bay	1	2	4	Richardson Bay (Pathogens)	3/29/2030	1.53%	164.2	41.6%	E	74	9.7
215	308	122	Sespe Creek, Adobe Creek	3	4	5 & 7	Santa Clara River Estuary & Reaches 3,5,6,7 (Coliform)	3/21/2012	0.21%	130.8	90.8%	E	100	13.38
	309	124					Santa Clara River Reach 3 (Chloride)	N/A				I	20	
216	310	136	Santa Clara River	1	4	7	Santa Clara River Estuary & Reaches 3,5,6,7 (Coliform)	3/21/2012	0.38%	436.3	9.4%	E	100	28.56
	311	158					Santa Clara River Reach 3 (Chloride)	N/A	0.29%	205.6		I	20	28.9
217	312	240	Sespe Creek	2	4	7	Santa Clara River Reach 3 (Chloride)	N/A	0.08%	89.5	12.1%	I	20	17.94
	313	241					Santa Clara River Estuary & Reaches 3,5,6,7 (Coliform)	3/21/2012				E	100	
218	314	176	Castaic Creek, Salt Creek	2	4	7	Upper Santa Clara River (Chloride)	6/18/2003	0.26%	346.9	13.2%	I	0	21.66
219	315	219	Santa Clara	1	4	7	Upper Santa Clara River (Chloride)	6/18/2003	0.18%	238.4	14.3%	I	0	17.01
220	316	299	Redwood Creek	1	1	1	Redwood Creek (Sediment)	None	0.02%	20.5	93.6%	B	60	8.4
221	317	320	Trinity River, Trinity Lake	6	1	2	Trinity River (Sediment)	None	0.08%	355.9	60.2%	B	52	7.38
222	318	221	Prairie Creek	3	1	1	Redwood Creek (Sediment)	None	0.29%	72.6	46.2%	B	60	13.5
223	319	319	Garcia River	1	1	1	Garcia River (Sediment)	None	0.07%	22.1	53.1%	B	60	8.15
224	320	166	Tenmile River	1	1	1	Ten Mile River (Sediment)	None	0.15%	7.9	100.0%	B	75	13.8

Final Ranking (by TMDL Reach)	Final Ranking (Pollutant Category by Reach)	Initial Prioritization (Overall Reach Rank)	Reach Name	Reach #	Regional Board	District	TOTAL MAXIMUM DAILY LOADS (TMDL) Pollutants	TMDL Deadlines	RIGHT-OF-WAY (ROW) Contribution		Proximity to Receiving Water (% of ROW within 0.25 mi of ROW)	Impairment Status		Community Env. Health Impact
									ROW Acres / Watershed Area (%)	ROW acres		Pollutant Category	Percent	
225	321	161	Noyo River	1	1	1	Noyo River (Sediment)	None	0.33%	17.3	32.3%	B	91	16.1
226	322	358	Big River	1	1	1	Big River (Sediment)	None	0.13%	42.7	4.3%	B	75	6.33
227	323	281	Indian Creek	3	1	1	Navarro River (Sediment and Temperature)	None	0.03%	8.8	55.9%	B/H	62/79	11.26
228	324	345	Yager Creek, Indian Creek	6	1	1	Van Duzen River and Yager Creek (Sediment)	None	0.02%	13.4	44.7%	B	37	7.22
229	325	299	Gualala River South Fork, Marshall Creek, Makenzie Creek	1	1	1 & 4	Gualala River (Sediment)	None	0.03%	11.7	100.0%	B	89	4.1
230	326	228	Lower Klamath River	1	1	2	Lost River (Nitrogen, Biochemical Oxygen Demand, and pH)	None	0.07%	152.4	61.6%	B	50	16.6
231	327	295	Lower Klamath River	2	1	2	Lost River (Nitrogen, Biochemical Oxygen Demand, and pH)	None	0.08%	236.2	19.4%	B	50	17.1
232	328	344	Noyo River	4	1	1	Noyo River (Sediment)	None	0.05%	9.3	0.0%	B	91	12.86
233	329	296	Albion River	1	1	1	Albion River (Sediment)	None	0.04%	2.8	98.0%	B	69	6.9
234	298	195	Castaic Creek	6	4	7	Santa Clara River Estuary & Reaches 3,5,6,7 (Coliform)	3/21/2012	0.18%	238.4	13.6%	E	100	21.62
235	290	297	Los Angeles River Estuary	1	4	7	Long Beach City Beaches and Los Angeles River Estuary (Indicator Bacteria)	3/26/2012	0.00%	0.0	0.0%	E	81	26.6
236	271	340	Bouquet Canyon	5	4	7	Santa Clara River Estuary & Reaches 3,5,6,7 (Coliform)	3/21/2012	0.13%	164.5	0.0%	E	100	9.63
237	275	327	Cache Creek	5	5	1	Cache Creek, Bear Creek, Sulphur Creek, and Harley Gulch (Mercury)	None	0.00%	0.0	0.0%	B	96	14.5
238	276	329	Malibu Creek, Triunfo Canyon	4	4	7	Santa Monica Bay Nearshore & Offshore (Debris (trash & plastic pellets))	3/20/2020	0.00%	0.0	0.0%	D	100	13.0
239	300	346	Scripps	14	9	11	Project I - Revised Twenty Beaches and Creeks in the San Diego Region (including Tecolote Creek) (Indicator Bacteria)	See Project 1 Note on page 21	0.00%	0.0	0.0%	E	19	12.89
240	260	335	Potrero Valley Creek, Lake Sherwood	2	4	7	Los Angeles Area Lake Sherwood (Mercury)	3/26/2012	0.00%	0.0	0.0%	B	70	16.77
241	261	335	Hidden Valley	3	4	7	Los Angeles Area Lake Sherwood (Mercury)	3/26/2012	0.00%	0.0	0.0%	B	70	16.77
242	262	335	Potrero Valley Creek	4	4	7	Los Angeles Area Lake Sherwood (Mercury)	3/26/2012	0.00%	0.0	0.0%	B	70	16.77
243	272	366	Osos Creek	3	3	5	Morro Bay (includes Chorro Creek, Los Osos Creek, and the Morro Bay Estuary) (Sediment)	8/15/2035	0.00%	0.0	0.0%	B	50	11.51

Final Ranking (by TMDL Reach)	Final Ranking (Pollutant Category by Reach)	Initial Prioritization (Overall Reach Rank)	Reach Name	Reach #	Regional Board	District	TOTAL MAXIMUM DAILY LOADS (TMDL) Pollutants	TMDL Deadlines	RIGHT-OF-WAY (ROW) Contribution		Proximity to Receiving Water (% of ROW within 0.25 mi of ROW)	Impairment Status		Community Env. Health Impact
									ROW Acres / Watershed Area (%)	ROW acres		Pollutant Category	Percent	
244	273	351	Rhine Channel	1	8	12	Rhine Channel Area of the Lower Newport Bay (Chromium and Mercury)	None	0.00%	0.0	0.0%	B/C	98/0	12.53
245	274	343	Stokes Canyon	10	4	7	Santa Monica Bay Nearshore & Offshore (Debris (trash & plastic pellets))	3/20/2020	0.00%	0.0	0.0%	D	100	12.2
246	330	43	Yreka Creek	19	1	2	Klamath River in California (Temperature, Dissolved Oxygen, Nutrient, and Microcystin)	None	0.66%	221.4	76.3%	B/H	92/83	15.4
247	331	160	Lower Klamath River	25	1	2	Klamath River in California (Temperature, Dissolved Oxygen, Nutrient, and Microcystin)	None	0.07%	152.4	61.6%	B/H	92/83	16.6
248	332	170	Willow Creek	3	1	1	Klamath River in California (Temperature, Dissolved Oxygen, Nutrient, and Microcystin)	None	0.29%	81.2	99.2%	B/H	92/83	7.5
249	333	213	Little Grass Valley Creek	12	1	2	Klamath River in California (Temperature, Dissolved Oxygen, Nutrient, and Microcystin)	None	0.30%	71.1	95.4%	B/H	92/83	4.6
250	334	223	Trinity River	2	1	1 & 2	Klamath River in California (Temperature, Dissolved Oxygen, Nutrient, and Microcystin)	None	0.11%	234.1	83.2%	B/H	92/83	8.8
251	335	234	Rattlesnake Creek, Bone Gulch	7	1	2	Klamath River in California (Temperature, Dissolved Oxygen, Nutrient, and Microcystin)	None	0.21%	62.9	62.9%	B/H	92/83	6.5
252	336	237	Salt Creek, Ditch Gulch	9	1	2	Klamath River in California (Temperature, Dissolved Oxygen, Nutrient, and Microcystin)	None	0.28%	147.4	50.3%	B/H	92/83	6.5
253	337	247	Shasta River	18	1	2	Klamath River in California (Temperature, Dissolved Oxygen, Nutrient, and Microcystin)	None	0.15%	587.2	12.7%	B/H	92/83	15.8
254	338	253	Shasta River, Dale Creek	20	1	2	Klamath River in California (Temperature, Dissolved Oxygen, Nutrient, and Microcystin)	None	0.20%	153.1	8.4%	B/H	92/83	17.2
255	339	254	Eel River	4	1	1	Upper Main Eel River and Tributaries including Tomki Creek, Outlet Creek, and Lake Pillsbury (Temperature and Sediment)	None	0.00%	1.0	100.0%	B/H	49/21	10.3
256	340	255	Scott River	17	1	2	Klamath River in California (Temperature, Dissolved Oxygen, Nutrient, and Microcystin)	None	0.00%	1.1	100.0%	B/H	92/83	5.8
257	341	256	Trinity River	10	1	2	Klamath River in California (Temperature, Dissolved Oxygen, Nutrient, and Microcystin)	None	0.09%	389.1	85.4%	B/H	92/83	5.6
258	342	259	Trinity River, Clair Engle Lake	13	1	2	Klamath River in California (Temperature, Dissolved Oxygen, Nutrient, and Microcystin)	None	0.08%	355.9	60.2%	B/H	92/83	7.4
259	343	262	Lower Klamath River	26	1	2	Klamath River in California (Temperature, Dissolved Oxygen, Nutrient, and Microcystin)	None	0.04%	366.9	12.5%	B/H	92/83	17.1
260	344	265	Scott River South Fork	15	1	2	Klamath River in California (Temperature, Dissolved Oxygen, Nutrient, and Microcystin)	None	0.00%	1.2	100.0%	B/H	92/83	4.8
261	345	267	Trinity River South Fork	4	1	1 & 2	Klamath River in California (Temperature, Dissolved Oxygen, Nutrient, and Microcystin)	None	0.00%	1.8	100.0%	B/H	92/83	5.2
262	346	283	Scott River	1	1	2	Scott River (Sediment and Temperature)	None	0.00%	1.1	100.0%	B/H	63/100	5.79
263	347	288	Hayfork Creek, Summit Creek	8	1	2	Klamath River in California (Temperature, Dissolved Oxygen, Nutrient, and Microcystin)	None	0.07%	138.0	57.4%	B/H	92/83	6.0

Final Ranking (by TMDL Reach)	Final Ranking (Pollutant Category by Reach)	Initial Prioritization (Overall Reach Rank)	Reach Name	Reach #	Regional Board	District	TOTAL MAXIMUM DAILY LOADS (TMDL) Pollutants	TMDL Deadlines	RIGHT-OF-WAY (ROW) Contribution		Proximity to Receiving Water (% of ROW within 0.25 mi of ROW)	Impairment Status		Community Env. Health Impact
									ROW Acres / Watershed Area (%)	ROW acres		Pollutant Category	Percent	
264	348	291	Scott River South Fork	3	1	2	Scott River (Sediment and Temperature)	None	0.00%	1.2	100.0%	B/H	63/100	4.79
265	349	298	Scott River East Fork	14	1	2	Klamath River in California (Temperature, Dissolved Oxygen, Nutrient, and Microcystin)	None	0.09%	68.8	37.3%	B/H	92/83	6.7
266	350	312	Trinity River South Fork	5	1	2	Klamath River in California (Temperature, Dissolved Oxygen, Nutrient, and Microcystin)	None	0.07%	63.4	38.6%	B/H	92/83	5.4
267	351	322	Big River	3	1	1	Big River (Sediment)	None	0.00%	0.0	0.0%	B	75	24.72
268	352	326	Big River South Fork	4	1	1	Big River (Sediment)	None	0.00%	0.0	0.0%	B	75	19.43
269	353	328	Trinity River South Fork	1	1	1 & 3	South Fork Trinity River and Hayfork Creek (Sediment)	None	0.00%	1.8	100.0%	B	30	5.18
270	354	331	Noyo River	3	1	1	Noyo River (Sediment)	None	0.00%	0.0	0.0%	B	91	15.87
271	355	338	Trinity River	11	1	2	Klamath River in California (Temperature, Dissolved Oxygen, Nutrient, and Microcystin)	None	0.17%	303.4	11.3%	B/H	92/83	4.80
272	356	339	Klamath River	24	1	2	Klamath River in California (Temperature, Dissolved Oxygen, Nutrient, and Microcystin)	None	0.04%	234.3	0.0%	B/H	92/83	12.34
273	357	340	Tenmile River South Fork	2	1	1	Ten Mile River (Sediment)	None	0.00%	0.0	0.0%	B	75	16.09
274	358	348	Noyo River North Fork	5	1	1	Noyo River (Sediment)	None	0.00%	0.0	0.0%	B	91	12.86
275	359	349	Scott River	16	1	2	Klamath River in California (Temperature, Dissolved Oxygen, Nutrient, and Microcystin)	None	0.11%	264.2	8.7%	B/H	92/83	5.63
276	360	350	Tenmile River Middle Fork	3	1	1	Ten Mile River (Sediment)	None	0.00%	0.0	0.0%	B	75	14.56
277	361	355	Tomki Creek	5	1	1	Upper Main Eel River and Tributaries including Tomki Creek, Outlet Creek, and Lake Pillsbury (Temperature and Sediment)	None	0.00%	0.0	0.0%	B/H	49/21	12.45
278	362	356	Trinity River South Fork	6	1	2	Klamath River in California (Temperature, Dissolved Oxygen, Nutrient, and Microcystin)	None	0.00%	0.0	0.0%	B/H	92/83	7.71
279	363	361	Tenmile River North Fork	4	1	1	Ten Mile River (Sediment)	None	0.00%	0.0	0.0%	B	75	10.72
280	364	363	Elk Creek	2	1	1	Middle Fork Eel River (Temperature and Sediment)	None	0.00%	0.0	0.0%	B/H	0/9	11.92
281	365	364	Larabee Creek	2	1	1	Lower Eel River (Temperature and Sediment)	None	0.00%	0.0	0.0%	B/H	77/17	8.42
282	366	365	Mad River	6	1	2	Mad River (Sediment and Turbidity)	None	0.00%	0.0	0.0%	B	89	7.94
283	367	367	Mad River	3	1	1	Mad River (Sediment and Turbidity)	None	0.00%	0.0	0.0%	B	89	7.64
284	368	368	Pilot Creek	4	1	1 & 2	Mad River (Sediment and Turbidity)	None	0.00%	0.0	0.0%	B	89	7.38
285	369	369	Rice Fork	6	1	1	Upper Main Eel River and Tributaries including Tomki Creek, Outlet Creek, and Lake Pillsbury (Temperature and Sediment)	None	0.00%	0.0	0.0%	B/H	49/21	8.02

Final Ranking (by TMDL Reach)	Final Ranking (Pollutant Category by Reach)	Initial Prioritization (Overall Reach Rank)	Reach Name	Reach #	Regional Board	District	TOTAL MAXIMUM DAILY LOADS (TMDL) Pollutants	TMDL Deadlines	RIGHT-OF-WAY (ROW) Contribution		Proximity to Receiving Water (% of ROW within 0.25 mi of ROW)	Impairment Status		Community Env. Health Impact
									ROW Acres / Watershed Area (%)	ROW acres		Pollutant Category	Percent	
286	370	369	Eel River, Lake Pillsbury	7	1	1 & 3	Upper Main Eel River and Tributaries including Tomki Creek, Outlet Creek, and Lake Pillsbury (Temperature and Sediment)	None	0.00%	0.0	0.0%	B/H	49/21	8.02
287	371	371	Black Butte River	4	1	1 & 3	Middle Fork Eel River (Temperature and Sediment)	None	0.00%	0.0	0.0%	B/H	0/9	8.71
288	372	372	Rockpile Creek	3	1	1 & 4	Gualala River (Sediment)	None	0.00%	0.0	0.0%	B	89	5.07
289	373	372	Garcia River	2	1	1	Garcia River (Sediment)	None	0.00%	0.0	0.0%	B	60	7.50
290	374	374	Gualala River North Fork, Billings Creek	2	1	1	Gualala River (Sediment)	None	0.00%	0.0	0.0%	B	89	4.95
291	375	375	Eel River Middle Fork	5	1	1 & 2	Middle Fork Eel River (Temperature and Sediment)	None	0.00%	0.0	0.0%	B/H	0/9	8.03
292	376	376	Buckeye Creek, Flat Ridge Creek	4	1	1 & 4	Gualala River (Sediment)	None	0.00%	0.0	0.0%	B	89	4.59
293	377	377	Wheatfield Fork Gualala River	5	1	4	Gualala River (Sediment)	None	0.00%	0.0	0.0%	B	89	4.32
294	378	378	Albion River	2	1	1	Albion River (Sediment)	None	0.00%	0.0	0.0%	B	69	5.48
295	379	379	Garcia River	3	1	1	Garcia River (Sediment)	None	0.00%	0.0	0.0%	B	60	5.83
296	380	380	Trinity River South Fork	3	1	2	South Fork Trinity River and Hayfork Creek (Sediment)	None	0.00%	0.0	0.0%	B	30	7.71
297	381	381	Van Duzen River	5	1	1 & 2	Van Duzen River and Yager Creek (Sediment)	None	0.00%	0.0	0.0%	B	37	7.07
298	382	382	Lawrence Creek, Painter Gulch	7	1	1	Van Duzen River and Yager Creek (Sediment)	None	0.00%	0.0	0.0%	B	37	2.71

NOTE: This Final TMDL Reach Prioritization Inventory List is for prioritization purposes only!

The Final TMDL Reach Prioritization Inventory list was developed as a collaboration with the State Board and permit stakeholders who considered factors such as right-of-way contribution to the receiving water, impairment of the receiving water, and community environmental health impacts. The Department will use this inventory list to select and begin implementation actions within the highest priority reaches as specified in Sections II and III of Attachment IV of Order WQ 2014-DWQ.

Final Ranking (by TMDL Reach)	Final Ranking (Pollutant Category by Reach)	Initial Prioritization (Overall Reach Rank)	Reach Name	Reach #	Regional Board	District	TOTAL MAXIMUM DAILY LOADS (TMDL) Pollutants	TMDL Deadlines	RIGHT-OF-WAY (ROW) Contribution		Proximity to Receiving Water (% of ROW within 0.25 mi of ROW)	Impairment Status		Community Env. Health Impact
									ROW Acres / Watershed Area (%)	ROW acres		Pollutant Category	Percent	

Initial Prioritization Ranking (Column D) - Colors represent stakeholder's request:

* **YELLOW Cells: R5 - requests for Clear Lake to be a high priority, and Non-Governmental Organizations (NGOs) request these reaches to be higher on the priority list.**
* **BLUE Cells: NGOs request that these reaches remain a high priority**
* **GRAY Cells: Reaches that are likely to have negligible contribution on water quality are placed lower on the priority list.**
* **BLACK Cells (white font) : Zero ROW contribution or Caltrans does not have any facilities in the watersheds or reach already represented in a separate watershed and should be deleted.**

Project 1 – Twenty Beaches and Creeks, including Tecolote Creek Indicator Bacteria TMDL compliance schedules include:

- 2016: Meet 50% Dry Weather and Wet Weather exceedance frequency reductions required to achieve TMDLs in receiving waters in Priority 1 watersheds.
- 2017: Meet 50% Dry Weather and Wet Weather exceedance frequency reductions required to achieve TMDLs in receiving waters in Priority 2 watersheds.
- 2018: Meet 50% Dry Weather and Wet Weather exceedance frequency reductions required to achieve TMDLs in receiving waters in Priority 3 watersheds.
- 2021: Meet 100% Dry Weather exceedance frequency reductions required to achieve TMDLs in receiving waters in all watersheds.
- 2031: Meet 100% Wet Weather exceedance frequency reductions required to achieve TMDLs in receiving waters in all watersheds