

CRK  
27573

State of California  
State Water Resources Control Board  
**DIVISION OF WATER RIGHTS**  
P.O. Box 2000, Sacramento, CA 95812-2000  
Info: (916) 341-5300, FAX: (916) 341-5400, Web: <http://www.waterrights.ca.gov>

**PETITION FOR EXTENSION OF TIME**

WATER USERS:

Application Gasquet C.F.D. Permit A023513 / 016085

Water Code section 1396 requires an applicant to exercise due diligence in developing a water supply for beneficial use. The State Water Resources Control Board (SWRCB), in considering requests for extension of time, will review the facts presented to determine whether there is good cause for granting an extension of time to complete the project. Where diligence in completing the project is not fully substantiated, the SWRCB may set the matter for hearing to determine the facts upon which to base formal action relating to the permit. Formal action may involve:

1. Revoking the permit for failure to proceed with due diligence in completing the project.
2. Issuing a license for the amount of water heretofore placed to beneficial use under the terms of the permit.
3. Granting a reasonable extension of time to complete construction work and/or full beneficial use of water.

**The time previously allowed in your permit within which to complete construction work and/or use of water has either expired or will expire shortly.**

Please check below the action you wish taken on this permit.

The project has been abandoned and I request revocation of the permit.

\_\_\_\_\_  
Signature

Full use of water has been made, both as to amount and season, and I request license be issued.

\_\_\_\_\_  
Signature

The project is not yet complete. I request the SWRCB's consideration of the following petition for an extension of time.

**PETITION FOR EXTENSION OF TIME  
If START of construction has been delayed**

Complete items 1, 2, and 3.

1. What has been done since permit was issued toward commencing construction? NA

2. Estimate date construction work will begin. \_\_\_\_\_

3. Reasons why construction work was not begun within the time allowed by the permit. \_\_\_\_\_

*"The energy challenge facing California is real. Every Californian needs to take immediate action to reduce energy consumption. For a list of simple ways you can reduce demands and cut your energy costs, see our web-site at: <http://waterrights.ca.gov>." Additional copies of this form and water right information can be obtained at [www.waterrights.ca.gov](http://www.waterrights.ca.gov).*

3/30/05  
# 100...  
# 152.00  
# 12

**PETITION FOR EXTENSION OF TIME**  
**If construction work is proceeding**

If construction work and/or use of water is proceeding but is not complete, an extension of time may be petitioned by completing items 4 through 16. Statements must be restricted to construction or use of water only under this permit.

4. A 10 - year extension of time is requested to complete construction work and/or beneficial use of water. (Indicate a period of time less than or equal to 10 years. Must be consistent with the time frame allowed in (California Code of Regulations sections 840 through 844)
5. How much water has been used? 89.4 acre-feet/year .49 cfs
6. How many acres have been irrigated? 0
7. How many houses or people have been served water? 330 CONNECTIONS
8. Extent of past use of water for any other purpose. SOME WATER IS USED FOR FIRE FIGHTING.
9. What construction work has been completed during the last extension? SEE ATTACHED SHEET.
10. Approximate amount spent on project during last extension period. \$ 70,000.00
11. Estimate date construction work will be completed. 2009
12. Estimated year in which water will be fully used. 2015
13. Reasons why construction and/or use of water were not completed within time previously allowed. SEE ATTACHED SHEET.

If the use of water is for municipal (including industrial) and irrigation supplies and is provided or regulated by public agencies and use of the water has commenced, but additional time is needed to reach full use contemplated, the following information must be provided.

14. What water conservation measures are in effect or feasible within the place of use? NA
15. How much water is being conserved or is it feasible to conserve using these conservation measures?  
\_\_\_\_\_ acre-feet per annum.
16. How much water per capita is used during the maximum 30-day period? \_\_\_\_\_ gpd.

I (we) declare under penalty of perjury that the above is true and correct to the best of my (our) knowledge and belief.

Dated: 2-22-05, 2005, at Gasquet, CA 95543, California

Michael J Morgan (707) 457-3107  
Signature(s) Telephone No.

Mike Morgan P.O. Box 86, Gasquet CA 95543  
PLEASE PRINT YOUR NAME AND ADDRESS

**NOTE: A \$1,000 filing fee, for each Application listed, made payable to the State Water Resources Control Board must accompany a petition for an extension of time. An \$850 fee made payable to the Department of Fish and Game must accompany all but the first petition for an extension of time.**

## Gasquet Community Service District

9. In the last 10 years we have added
  - Two raw water pumps in the Smith River (one 110 gpm and one 100 gpm)
  - Two additional boosters pumps (one 150 gpm and one 90 gpm)
  - Two 5,000-gallon chlorine contact tanks
  - Rebuilt the motor control center
  - Rebuilt the telemetry and pump control system
  - A 45 kW emergency generator
  - Changed our disinfection from chorine gas to sodium hypochlorite.
  - Prepared a site for a new storage tank
  
13. We have been adding to the plant and distribution system as funding has allowed. We are requesting State Revolving Funds for plant expansion and required additional storage. We have raised our Water Rates substantially over the past ten years and have saved enough money to start plant expansion or adding storage this year.

I believe that with these improvements Gasquet C.S.D. will be able to provide potable water to its customers for many years.

California Environmental Protection Agency

State Water Resources Control Board

DIVISION OF WATER RIGHTS

P.O. Box 2000, Sacramento, CA 95812-2000

Info: (916) 341-5300, FAX: (916) 341-5400, Web: http://www.waterrights.ca.gov

ENVIRONMENTAL INFORMATION FOR PETITIONS

Petition for Change

Petition for Extension of Time

Before the State Water Resources Control Board (SWRCB) can approve a petition to change your water right permit or a petition for extension of time to complete use, the SWRCB must consider the information contained in an environmental document prepared in compliance with the California Environmental Quality Act (CEQA). This form is not a CEQA document. If a CEQA document has not yet been prepared, a determination must be made of who is responsible for its preparation. As the petitioner, you are responsible for all costs associated with the environmental evaluation and preparation of the required CEQA documents. Please answer the following questions to the best of your ability and submit any studies that have been conducted regarding the environmental evaluation of your project. If you need more space to completely answer the questions, please number and attach additional sheets.

1. DESCRIPTION OF PROPOSED CHANGES OR WORK REMAINING TO BE COMPLETED

For a petition to change, provide a description of the proposed changes to your project including, but not limited to, type of construction activity, structures existing or to be built, area to be graded or excavated, increase in water diversion and use (up to the amount authorized by the permit), changes in land use, and project operational changes, including changes in how the water will be used. For a petition for extension of time, provide a description of what work has been completed and what remains to be done. Include in your description any of the above elements that will occur during the requested extension period.

see Attachment #1

See Attachment No. \_\_\_\_

**ENVIRONMENTAL INFORMATION FOR PETITIONS**

**2. COUNTY PERMITS**

a. Contact your county planning or public works department and provide the following information:

Person contacted: Heidi Kunstal Date of contact: 3-4-05  
 Department: Planning Department Telephone: (707) 464-7254  
 County Zoning Designation: RIA

Are any county permits required for your project?  YES  NO If YES, check appropriate box below:

- Grading permit  Use permit  Watercourse  Obstruction permit  Change of zoning  
 General plan change  Other (explain):

USE Permit: required for Public use in residential zone.  
Building Permit: For Plant Building expansion.

b. Have you obtained any of the required permits described above?  YES  NO

If YES, provide a complete copy of each permit obtained.

See Attachment No. \_\_\_\_\_

**3. STATE/FEDERAL PERMITS AND REQUIREMENTS**

a. Check any additional state or federal permits required for your project:

- Federal Energy Regulatory Commission  U.S. Forest Service  Bureau of Land Management  
 Soil Conservation Service  Dept. of Water Resources (Div. of Safety of Dams)  Reclamation Board  
 Coastal Commission  State Lands Commission  Other (specify) \_\_\_\_\_

b. For each agency from which a permit is required, provide the following information:

AGENCY	PERMIT TYPE	PERSON(S) CONTACTED	CONTACT DATE	TELEPHONE NO.
U.S. Forest Service	SPECIAL USE Permit	Don PASS	3-14-05	707-457-3171 X135
	GAS 1137-02			

See Attachment No. \_\_\_\_\_

c. Does your proposed project involve any construction or grading-related activity that has significantly altered or would significantly alter the bed or bank of any stream or lake?  YES  NO

If YES, explain: \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

See Attachment No. \_\_\_\_\_

**ENVIRONMENTAL INFORMATION FOR PETITIONS**

d. Have you contacted the California Department of Fish and Game concerning your project?  YES  NO  
If YES, name and telephone number of contact: Jane Volpapel 1-530-225-2124

**4. ENVIRONMENTAL DOCUMENTS**

a. Has any California public agency prepared an environmental document for your project?  YES  NO  
If YES, submit a copy of the latest environmental document(s) prepared, including a copy of the notice of determination adopted by the California public agency. Public agency: \_\_\_\_\_

b. If NO, check the appropriate box and explain below, if necessary:

- The petitioner is a California public agency and will be preparing the environmental document.\*
- I expect that the SWRCB will be preparing the environmental document.\*\*
- I expect that a California public agency other than the State Water Resources Control Board will be preparing the environmental document.\* Public agency: \_\_\_\_\_

See Attachment No. \_\_\_\_\_

\* Note: When completed, submit a copy of the final environmental document (including notice of determination) or notice of exemption to the SWRCB, Division of Water Rights. Processing of your petition cannot proceed until these documents are submitted.

\*\* Note: CEQA requires that the SWRCB, as Lead Agency, prepare the environmental document. The information contained in the environmental document must be developed by the petitioner and at the petitioner's expense under the direction of the SWRCB, Division of Water Rights.

**5. WASTE/WASTEWATER**

a. Will your project, during construction or operation, (1) generate waste or wastewater containing such things as sewage, industrial chemicals, metals, or agricultural chemicals, or (2) cause erosion, turbidity or sedimentation?  
 YES  NO

If YES, or you are unsure of your answer, explain below and contact your local Regional Water Quality Control Board for the following information (See instruction booklet for address and telephone no.):

See Attachment No. \_\_\_\_\_

b. Will a waste discharge permit be required for your project?  YES  NO

Person contacted: Tom Dunbar Date of contact: 3-14-05

c. What method of treatment and disposal will be used? settling pond

See Attachment No. \_\_\_\_\_

**6. ARCHEOLOGY**

a. Have any archeological reports been prepared on this project?  YES  NO

b. Will you be preparing an archeological report to satisfy another public agency?  YES  NO

c. Do you know of any archeological or historic sites located within the general project area?  YES  NO

**ENVIRONMENTAL INFORMATION FOR PETITIONS**

---

If YES, explain: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

See Attachment No. \_\_\_\_\_

**7. ENVIRONMENTAL SETTING**

Attach **three complete sets of color photographs**, clearly dated and labeled, showing the vegetation that exists at the below-listed three locations. For time extension petitions, the photographs should document only those areas of the project that will be impacted during the requested extension period.

- Along the stream channel immediately downstream from the proposed point(s) of diversion.
- Along the stream channel immediately upstream from the proposed point(s) of diversion.
- At the place(s) where the water is to be used.

**8. CERTIFICATION**

I hereby certify that the statements I have furnished above and in the attachments are complete to the best of my ability and that the facts, statements, and information presented are true and correct to the best of my knowledge.

Date: 3-18-05

Signature: Michael J Morgan

## Attachment #1

Work already completed at Gasquet C.S.D. Include:

- Four raw water pumps in the Smith River (350 gpm)
- Water treatment capabilities of 150 gpm
- Chlorine contact tanks
- Four booster pumps (350 gpm)
- Emergency generator
- Water mains and fire hydrants
- 150,000-gallon water storage tank with area for an additional tank.

In the next ten years Gasquet C.S.D. plans to increase our water treatment capabilities to 350 gpm and add required storage. This will likely include:

Constructing a pole type building approximately 24x40 feet, 14 feet high at the peak. The site at the Plant is level and fenced, I expect very little ground work for a pole building. We will install a purchased "package water treatment plant" in the building.

No work needs to be done at the raw water site in the North Fork Smith River as we can now pump to our limit.

The tank site is already level for a water storage tank