

March 5, 2018

DWR

MAR - 8 2018

Eileen Sobeck, Executive Director
State Water Resources Control Board
1001 I Street
Sacramento, California 95814

Report of Salinity Levels at South Delta Water Quality Monitoring Stations February 2018,

In accordance with the Quarterly Status Report, May 2009, Cease and Desist WR 2006-0006, the Department is providing a monthly summary of the salinity measured at the four required compliance locations. The four locations (stations) include San Joaquin River at Vernalis, San Joaquin River at Brandt Bridge, Old River near Tracy Road Bridge, and Old River near Middle River.

The monthly summary for February 2018 is provided in the attached table.

If you have any questions, please contact me at (916) 574-2722.



Molly White, Chief
Water Operations Office
Division of Operations and Maintenance
Department of Water Resources

Attachment

cc: (see attached list)

Amy L. Aufdemberge
Assistant Regional Solicitor
Room E-1712
2800 Cottage Way
Sacramento, California 95825

Dante John Nomellini, Esq.
Nomellini, Grilli and McDaniel
Post Office Box 1461
235 East Weber Avenue
Stockton, California 95201

Carl P. A. Nelson
Bold, Polisner, Maddow, Nelson and Judson
2125 Oak Grove Road, Suite 210
Walnut Creek, California 94598

Thomas J. Shephard, Sr.
Post Office Box 20
Stockton, California 95201

John Herrick, Esq.
South Delta Water Agency
4255 Pacific Avenue, Suite 2
Stockton, California 95207

Michael Jackson
Post Office Box 207
429 West Main Street
Quincy, California 95971

Stefanie Morris, General Counsel
State Water Contractors
1121 L Street, Suite 1050
Sacramento, California 95814

Thomas Gibson, General Counsel
California Department of Fish and Wildlife
1416 9th Street, Suite 1341
Sacramento, California 95814

Carl Wilcox
California Department of Fish and Wildlife
1416 9th Street
Sacramento, California 95814

Tim O'Laughlin
O'Laughlin and Paris LLP
2617 K Street, Suite 100
Sacramento, California 95816

Jon D. Rubin
San Luis & Delta-Mendota Water Authority
400 Capitol Mall, 27th Floor
Sacramento, CA 95814

Daniel Sodergren
City Attorney
City of Tracy
333 Civic Center Plaza
Tracy, California 95376

Patricia D. Fernandez
Division of Water Rights
1001 I Street, 14th Floor
Sacramento, CA 95814

Michael George, Delta Watermaster
Office of Delta Watermaster
State Water Resources Control Board
1001 I Street
Sacramento, California 95814

bcc: Francis Chung, DWR 215-34
Mark Holderman, DWR 215-32
Cathy Crothers, DWR 1118
Tripp Mizell, DWR 1118
Anna Fock, DWR 1620

Delta Water Quality Conditions*

February 2017

Date	Vernalis		Brandt Bridge		Old River Near Tracy		Old River Near Middle	
	VERec	VER30ec	BDTec	BDT30ec	OLDec	OLD30ec	UN1ec	UN130ec
01-Feb-18	0.7	0.6	0.7	0.6	0.8	0.7	0.7	0.7
02-Feb-18	0.7	0.6	0.7	0.6	0.8	0.7	0.7	0.6
03-Feb-18	0.7	0.6	0.7	0.6	0.8	0.8	0.7	0.6
04-Feb-18	0.7	0.6	0.7	0.6	0.8	0.8	0.7	0.6
05-Feb-18	0.7	0.6	0.7	0.6	0.8	0.8	0.7	0.6
06-Feb-18	0.6	0.6	0.7	0.6	0.8	0.8	0.7	0.6
07-Feb-18	0.7	0.6	0.7	0.6	0.9	0.8	0.7	0.6
08-Feb-18	0.6	0.6	0.7	0.6	0.9	0.8	0.7	0.6
09-Feb-18	0.6	0.6	0.7	0.6	0.8	0.8	0.7	0.6
10-Feb-18	0.6	0.6	0.7	0.7	0.8	0.8	0.6	0.6
11-Feb-18	0.6	0.6	0.6	0.7	0.8	0.8	0.6	0.7
12-Feb-18	0.5	0.7	0.6	0.7	0.7	0.8	0.6	0.7
13-Feb-18	0.5	0.6	0.5	0.7	0.7	0.8	0.5	0.7
14-Feb-18	0.5	0.6	0.5	0.7	0.7	0.8	0.5	0.6
15-Feb-18	0.5	0.6	0.5	0.7	0.7	0.8	0.5	0.6
16-Feb-18	0.5	0.6	0.5	0.6	0.6	0.8	0.5	0.6
17-Feb-18	0.5	0.6	0.5	0.6	0.7	0.8	0.5	0.6
18-Feb-18	0.5	0.6	0.5	0.6	0.7	0.8	0.5	0.6
19-Feb-18	0.5	0.6	0.5	0.6	0.6	0.8	0.5	0.6
20-Feb-18	0.5	0.6	0.5	0.6	0.6	0.8	0.5	0.6
21-Feb-18	0.5	0.6	0.5	0.6	0.7	0.8	0.5	0.6
22-Feb-18	0.5	0.6	0.5	0.6	0.6	0.8	0.5	0.6
23-Feb-18	0.4	0.6	0.5	0.6	0.6	0.8	0.5	0.6
24-Feb-18	0.4	0.6	0.5	0.6	0.6	0.8	0.5	0.6
25-Feb-18	0.4	0.6	0.4	0.6	0.6	0.8	0.4	0.6
26-Feb-18	0.4	0.6	0.4	0.6	0.6	0.7	0.4	0.6
27-Feb-18	0.4	0.6	0.4	0.6	0.5	0.7	0.4	0.6
28-Feb-18	0.4	0.5	0.4	0.6	0.5	0.7	0.4	0.6

* Salinity reported as electrical conductivity in milliSiemens per centimeter (mS/cm)

XXXec	XXX30ec	Daily average and 30-day running average electrical conductivity
-------	---------	------------------------------------------------------------------